

New York State HIV/AIDS Surveillance Semiannual Report

**For Cases Diagnosed
through December 2004**

**Bureau of HIV/AIDS Epidemiology
New York State Department of Health**

April 2006

Notice to Readers

On June 1, 2000, the New York State Department of Health (NYSDOH) implemented the HIV Reporting and Partner Notification Law. This law enhanced the existing AIDS case reporting by including reporting of HIV and HIV-related illness by health care providers and laboratories to the New York State Commissioner of Health.

The HIV/AIDS case data used in this Semi-Annual Report has undergone both inter- and intra-state deduplication.

In 2004 the Center for Disease Control and Prevention (CDC) completed the Interstate Duplication Evaluation Project (IDEP) in which all states were required to participate. The purpose of the project was to identify duplicate cases of HIV/AIDS that have been reported to the National HIV/AIDS Surveillance System by one or more states and assure that the cases are only counted once. If a case was reported by two or more states, the earliest date of diagnosis was used to determine which state the case was assigned to. CDC estimates that 30,000 of the AIDS cases in the national surveillance system were duplicates, representing less than 5% of the almost 1 million cases that have been reported to CDC over the history of the epidemic through 2002.

The percent of AIDS cases that were lost in NYS due to this process was approximately 3%. Please note that this loss of AIDS cases will most likely not affect New York's Ryan White funding or other funding based on the AIDS case count because New York's estimated 3% loss in AIDS cases compares favorably with the average loss of cases for the nation which was a little less than 5%. The data presented in this report series since June 2004 reflect this change in the AIDS case count for NYS. The December 2003, December 2002 and 2001 reports have also been updated to reflect this change. The interstate deduplication of cases is now conducted on an ongoing basis.

The Semi-Annual report case data has been deduplicated between NYC and the rest of NYS. In all areas of NYS excluding NYC, HIV/AIDS surveillance is conducted by the NYSDOH's Bureau of HIV/AIDS Epidemiology (BHAЕ). In NYC, HIV/AIDS surveillance is conducted by the NYC Department of Health's HIV Surveillance and Epidemiology Unit. Often, a case will be reported to both jurisdictions. NYC and NYS departments of health report HIV/AIDS data separately to the national Centers for Disease Control and Prevention (CDC), and the combined file can contain certain cases twice. CDC deduplicates the data between the two jurisdictions for its own use. A case is only counted once and it is assigned to the county of residence at the time of the earliest report. This deduplicated count provides the basis for Ryan White and other federal funding to NYS. The data used in this report have been deduplicated by BHAЕ following the algorithm used by CDC.

More finely delineated breakouts or tables based on data that has not been deduplicated may be obtained through our data request unit by calling 518-474-4284.

To familiarize yourself with this reporting format and definitions contained in this report please read the following section, **Technical Notes on HIV/AIDS Surveillance Data.**

Technical Notes on HIV/AIDS Surveillance Data

Introduction

This is the HIV/AIDS Surveillance Semi-Annual Report, which is produced by the BHAIE at the NYS Department of Health. Access to this publication is available through the Internet at the following address: <http://www.nyhealth.gov/diseases/aids/statistics/index.htm>. Printed copies can be obtained by those without internet access by writing to:

Bureau of HIV/AIDS Epidemiology
P.O. Box 2073 ESP Station Albany, New York 12220-0073

Information presented in this report is generated from data collected and maintained by BHAIE and the NYC Department of Health's HIV Surveillance and Epidemiology Unit.

Reporting Procedures

As of June 1, 2000, the NYS HIV Reporting and Partner Notification Law (Chapter 163 of the Laws of 1998, PHL 21 Title III) requires health care providers to report all initial determinations of HIV infection, diagnosis of HIV-related illness and diagnosis of AIDS to the NYS Commissioner of Health.* Until June 2005 laboratories were required to report all confirmatory HIV antibody tests, all detectable viral loads and all CD4<500 or 29% of total lymphocytes. As of June 2005, all viral load and CD4 tests are reportable, as well as confirmatory HIV antibody tests.

Laboratories conducting HIV-related testing must report directly to the NYS Department of Health either electronically or on paper. For more information call 518-474-4284.

All NYS providers should report using the NYS Confidential Medical Provider HIV/AIDS and Partner/Contact Report Form (PRF) DOH-4189 Revised 8/05. Copies can be obtained by calling 518-474-4284.

NYS providers outside of NYC should mail the completed PRF to:

Division of Epidemiology
P.O. Box 2073 ESP Station Albany, New York 12220-0073

NYC providers should call (212) 442-3388 to arrange pickup of the completed PRF.

* Please note that HIV-infected patients diagnosed with tuberculosis (TB) are also reportable to the local TB control program. Questions regarding TB reporting should be directed to your local or the NYS TB Control Program at (518) 474-4845.

Definition of Terms Used in this Report

Confirmed Case: Reports for which the clinical and demographic data required by the national Centers for Disease Control and Prevention (CDC) to confirm a case have been obtained.

Case Investigation: Reports received without sufficient information to confirm the case and confirmed cases reported without risk are investigated by NYS or NYC public health representatives who examine medical records to obtain demographic information, clinical status and reported HIV exposure (risk).

HIV/AIDS Case Categories: This report classifies cases into the four categories listed below. HIV and AIDS cases are mutually exclusive. The newly diagnosed HIV and AIDS cases are subsets of the living HIV and AIDS categories.

- ***Living HIV Cases*** - This category includes all reported individuals living with HIV infection who have not developed AIDS. These are considered prevalent HIV cases. This category includes HIV cases reported by a provider indicating an initial HIV diagnosis or an HIV illness and/or by a laboratory reporting a positive western blot or a detectable viral load.
- ***Newly Diagnosed HIV Cases*** - This is the subset of all living HIV cases that have been reported for the first time by a laboratory reporting a positive western blot or by a physician reporting an initial HIV diagnosis, and have *not* been reported with AIDS through the end of the reported time period. Please note that HIV reporting began in 2000 and that cases diagnosed prior to this time by a provider other than the current provider reporting the case may be misclassified as newly diagnosed. Once the majority of HIV cases in care have been reported, the level of misclassification will decrease.
- ***Living AIDS Cases*** - This category include all reported individuals living with AIDS. These are considered prevalent AIDS cases.
- ***Newly Diagnosed AIDS Cases*** - This is the subset of all living AIDS cases that are diagnosed and reported with AIDS for the first time. This includes cases that have never been reported before and cases initially reported with HIV infection that have subsequently developed AIDS.
- ***Cumulative AIDS Cases*** - This category includes all AIDS cases reported since 1983, both living and deceased.

Diagnosis date: The diagnosis date refers to the earliest date on which a clinical or laboratory diagnosis of HIV and AIDS is documented on a provider report form, laboratory report or in the patient's medical chart. This date may be months, or even years, earlier than the date the case was reported to the health department. In cases of HIV infection diagnosed before June 2000 that have not been investigated, the diagnosis date is the test date of the first laboratory report received.

Report date: The date that the case was confirmed.

Prisoner: Individuals diagnosed and/or reported while incarcerated in city or county jails or state prisons. Most prisoners are reported from state prisons and are assigned the county of residence of the prison in which they were diagnosed.

HIV Exposure Category: Information on possible mode(s) of HIV exposure is typically provided to health care providers during routine medical history taking, and is obtained from review of the patient's medical records. An individual may potentially have been exposed to HIV through more than one route. However, for the purpose of surveillance, only one exposure mechanism is considered. (The category of "men who have sex with men and inject drugs" is the only exception to this.) Persons identified with more than one potential exposure route are classified in accordance with the following CDC-defined hierarchy of exposure category:

Adults:

- Men who have sex with men and inject drugs
- Men who have sex with men (includes bisexual men)
- Injection drug users
- Hemophiliacs or persons with other clotting disorders
- Heterosexual contact with an injection drug user, a bisexual man, a hemophiliac, an HIV-positive blood product recipient, or a person with documented HIV or AIDS
- Transfusion or transplant recipient
- Confirmed other risk
- Adult with undetermined mode of exposure

Children:

- Hemophiliacs or children with other clotting disorder
- Mother is an injection drug user
- Mother had sex with an injection drug user, a bisexual man, a hemophiliac, an HIV-positive blood transfusion recipient, an individual with documented HIV or AIDS
- Mother received a transfusion or blood products
- Mother had AIDS or is HIV-positive
- Transfusion or transplant recipient
- Pediatric other risk
- Child with undetermined mode of exposure

Based on this hierarchy, for example, a woman who may have been exposed to HIV through both injection drug use and through heterosexual contact with an HIV-infected partner would be classified only as an injection drug user, since that mode of exposure precedes heterosexual contact on the hierarchy.

An individual with HIV/AIDS for whom all but heterosexual HIV risk has been ruled out can be classified as heterosexually exposed only if s/he knows the partner's risk and/or HIV status. In the absence of such information, the case is classified as having an undetermined exposure category. In contrast, men who have sex with men and injection drug users need only be behaviorally identified in one of these groups, with no additional documentation required. As a result of the more rigorous standards for identifying heterosexually exposed individuals, it is likely that many heterosexually exposed cases fail to meet these standards. Thus, a proportion of cases with an undetermined exposure category may be heterosexually exposed individuals.

Individuals with an undetermined mode of exposure may fall into one of several categories: persons currently under investigation by public health representatives, persons for whom no mode of exposure was identified because the individual died or was lost to follow-up, persons with lack of exposure information in his/her medical chart, and persons for whom adequate follow-up information revealed no identifiable exposure mechanism.

Changes in the AIDS Surveillance Case Definition: A uniform surveillance case definition for AIDS was established by CDC in the early 1980s, and has since been modified three times, each time expanding the range of AIDS-indicator diseases and conditions and incorporating HIV diagnostic tests to improve the sensitivity and specificity of the definition. The first modification occurred in 1985, the second in 1987 and the most recent in 1993. The 1993 expansion of the AIDS case definition for adults and adolescent includes HIV-infected individuals with CD4+ T-lymphocyte counts below 200 cells/mm³ or below 14 percent of total lymphocytes, and individuals diagnosed with pulmonary tuberculosis, recurrent pneumonia or invasive cervical cancer.

Particularly due to the new immunologic criterion of the expanded case definition, the number of cases reported to the NYSDOH and NYCDOH grew immensely following the 1993 modification. The immunologic criterion permitted a substantial number of AIDS diagnoses to be made before the occurrence of the first opportunistic condition. These cases were effectively diagnosed earlier in the spectrum of HIV disease than other AIDS cases diagnosed under the old case definition. The effect of this new criterion was to create a large and sudden increase in the number of AIDS cases confirmed around 1993, producing the false impression of a dramatic increase in AIDS cases during that period.

Record Updates: When additional surveillance information is received on a confirmed case subsequent to the initial confirmation, data for that case may be updated, resulting in changes in the data reported to the public. Therefore, month to month totals in some data elements (such as mode of exposure and diagnosis date) may change over time. With the implementation of HIV reporting, the number of prevalent HIV and AIDS cases for a specified period of time may change, as individuals initially reported with HIV develop AIDS and are moved from the "HIV" to the "AIDS" category.

Age at diagnosis: In this report, **age** designates **age at time of diagnosis**. This refers to the individual's age at the earliest, documented diagnosis of the condition in question. The CDC categorizes a case as "pediatric" if the diagnosis was made before age 13.

Mortality Information: Vital status of cases is determined from updated case reports, death certificate files maintained by the NYSDOH and NYCDOH Vital Records, and the National Death Index. Unless known to be deceased from these sources, cases are presumed to be alive.

Prisoners: Cases categorized as "Prisoners" have been diagnosed and/or reported while incarcerated in city or county jails or one of the NYS Department of Corrections (DOCS) facilities throughout NYS. Most prisoner reports come from a NYSDOCS facility. Prison cases are often presented separately from general population data because, if diagnosed while incarcerated, residence reflects the address of the correctional facility, rather than their home address.

Regional Groupings: For this report, cases are assigned to the county of residence at time of earliest diagnosis. In NYC, data include all individuals who were residents of one of the five New York City boroughs at the time of initial diagnosis. NYS excluding NYC include all individuals whose residence was anywhere in NYS outside of NYC at the time of initial diagnosis.

TABLE OF CONTENTS:

STATEWIDE

| | | |
|----------|--|---------|
| Table 1 | AIDS cases by Region and Year of Diagnosis..... | Page 10 |
| Table 2A | Living and Cumulative HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk..... | Page 11 |
| Table 2B | Newly Diagnosed HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk..... | Page 12 |

REGIONAL

| | | |
|----------|--|---------|
| Table 3A | NYC - Living and Cumulative HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk..... | Page 13 |
| Table 3B | NYC - Newly Diagnosed HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk..... | Page 14 |
| Table 4A | NYS excluding NYC - Living and Cumulative HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk..... | Page 15 |
| Table 4B | NYS excluding NYC - Newly Diagnosed HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk..... | Page 16 |

NYS Excluding NYC – COUNTY

| | | |
|----------|---|-------------|
| Table 5A | Living and Cumulative HIV/AIDS by County..... | Pages 17-18 |
| Table 5B | Newly Diagnosed HIV/AIDS cases by County..... | Pages 19-20 |

NYC BY GENDER

| | | |
|----------|--|---------|
| Table 6A | Males - Living HIV/AIDS cases by Age, Race/Ethnicity and Risk..... | Page 21 |
| Table 6B | Males - Newly Diagnosed HIV/AIDS cases by Age, Race/Ethnicity and Risk..... | Page 22 |
| Table 6C | Females - Living HIV/AIDS cases by Age, Race/Ethnicity and Risk..... | Page 23 |
| Table 6D | Females - Newly Diagnosed HIV/AIDS cases by Age, Race/Ethnicity and Risk..... | Page 24 |

NYS Excluding NYC by GENDER (excludes Prisoners)

| | | |
|----------|--|---------|
| Table 7A | Males - Living HIV/AIDS cases by Age, Race/Ethnicity and Risk..... | Page 25 |
| Table 7B | Males - Newly Diagnosed HIV/AIDS cases by Age, Race/Ethnicity and Risk..... | Page 26 |
| Table 7C | Females - Living HIV/AIDS cases by Age, Race/Ethnicity and Risk..... | Page 27 |
| Table 7D | Females - Newly Diagnosed HIV/AIDS cases by Age, Race/Ethnicity and Risk..... | Page 28 |

PRISONERS - (NYS Excluding NYC)

| | | |
|----------|--|---------|
| Table 8A | Living HIV/AIDS cases by Gender, Age and Race/Ethnicity..... | Page 29 |
| Table 8B | Newly Diagnosed HIV/AIDS cases by Gender, Age and Race/Ethnicity..... | Page 30 |

NYS Excluding NYC

| | | |
|----------|--|---------|
| Table 9A | Living and Cumulative HIV/AIDS cases by Ryan White Region..... | Page 31 |
| Table 9B | Newly Diagnosed HIV/AIDS cases by Ryan White Region..... | Page 32 |

NYS Excluding NYC - Ryan White Regions

The following two tables have been generated for each of the Ryan White Regions:

- A** - Living and Cumulative HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk
- B** - Newly Diagnosed HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk

| | | |
|----------------|---|-------------|
| Table 10 - A,B | Albany Ryan White Region | Pages 33-34 |
| Table 11 - A,B | Binghamton Ryan White Region | Pages 35-36 |
| Table 12 - A,B | Buffalo Ryan White Region..... | Pages 37-38 |
| Table 13 - A,B | Lower Hudson Ryan White Region | Pages 39-40 |
| Table 14 - A,B | Mid Hudson Ryan White Region | Pages 41-42 |
| Table 15 - A,B | Nassau/Suffolk Ryan White Region | Pages 43-44 |
| Table 16 - A,B | Rochester Ryan White Region | Pages 45-46 |
| Table 17 - A,B | Syracuse Ryan White Region | Pages 47-48 |

NYC – Boroughs

| | | |
|-----------|--|---------|
| Table 18A | HIV/AIDS Cases Diagnosed through June 2004..... | Page 49 |
| Table 18B | Newly Diagnosed HIV/AIDS Cases, Diagnosed July 2003-June 2004..... | Page 50 |

The following two tables have been generated for each of the Boroughs:

- A** - Living and Cumulative HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk
- B** - Newly Diagnosed HIV/AIDS cases by Gender, Age, Race/Ethnicity and Risk

| | | |
|----------------|----------------------------|-------------|
| Table 19 - A,B | Bronx | Pages 51-52 |
| Table 20 - A,B | Brooklyn | Pages 53-54 |
| Table 21 - A,B | Manhattan | Pages 55-56 |
| Table 22 - A,B | Queens | Pages 57-58 |
| Table 23 - A,B | Staten Island | Pages 59-60 |

STATEWIDE: Includes all 62 Counties

Table 1
New York State AIDS Cases* by Region and Year of Diagnosis

| Year | Number of Cases Diagnosed | | |
|---------------|---------------------------|---------|---------|
| | NYC | Upstate | Total |
| Prior to 1981 | 49 | 0 | 49 |
| 1981 | 149 | 7 | 156 |
| 1982 | 491 | 33 | 524 |
| 1983 | 1,046 | 125 | 1,171 |
| 1984 | 1,763 | 249 | 2,012 |
| 1985 | 2,714 | 450 | 3,164 |
| 1986 | 3,897 | 706 | 4,603 |
| 1987 | 4,878 | 1,025 | 5,903 |
| 1988 | 6,029 | 1,288 | 7,317 |
| 1989 | 6,345 | 1,567 | 7,912 |
| 1990 | 7,200 | 1,737 | 8,937 |
| 1991 | 8,317 | 2,129 | 10,446 |
| 1992 | 10,002 | 2,607 | 12,609 |
| 1993 | 11,501 | 2,833 | 14,334 |
| 1994 | 11,360 | 2,616 | 13,976 |
| 1995 | 10,125 | 2,664 | 12,789 |
| 1996 | 8,368 | 2,201 | 10,569 |
| 1997 | 6,714 | 1,563 | 8,277 |
| 1998 | 5,111 | 1,267 | 6,378 |
| 1999 | 4,814 | 1,210 | 6,024 |
| 2000 | 5,787 | 1,393 | 7,180 |
| 2001 | 4,979 | 1,313 | 6,292 |
| 2002 | 4,066 | 1,189 | 5,255 |
| 2003 | 4,719 | 1,129 | 5,848 |
| 2004** | 3,866 | 946 | 4,812 |
| TOTAL | 134,290 | 32,247 | 166,537 |

***Cases reported and confirmed through December 2005**

****Data incomplete due to lag in reporting**

STATEWIDE: Includes all 62 Counties

Table 2A

HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk Diagnosed through December 2004

| | | | | AIDS** | | | |
|-----------------------|----------------|-------------|---------|--------|---------|------------|---------|
| | | Living HIV* | | Living | | Cumulative | |
| | | Number | Percent | Number | Percent | Number | Percent |
| Gender | Male | 24,214 | 64.5 | 48,034 | 70.7 | 124,195 | 74.6 |
| | Female | 13,124 | 34.9 | 19,908 | 29.3 | 42,342 | 25.4 |
| | Unk | 220 | 0.6 | 0 | 0.0 | 0 | 0.0 |
| | TOTAL | 37,558 | 100.0 | 67,942 | 100.0 | 166,537 | 100.0 |
| Age Group | 12 & under | 1,772 | 4.7 | 833 | 1.2 | 2,328 | 1.4 |
| | 13-19 | 941 | 2.5 | 615 | 0.9 | 867 | 0.5 |
| | 20-24 | 2,823 | 7.5 | 2,037 | 3.0 | 4,098 | 2.5 |
| | 25-29 | 4,591 | 12.2 | 6,476 | 9.5 | 15,957 | 9.6 |
| | 30-49 | 23,199 | 61.8 | 49,147 | 72.3 | 120,206 | 72.2 |
| | 50+ | 4,067 | 10.8 | 8,834 | 13.0 | 23,081 | 13.9 |
| | Unk | 165 | 0.4 | 0 | 0.0 | 0 | 0.0 |
| | TOTAL | 37,558 | 100.0 | 67,942 | 100.0 | 166,537 | 100.0 |
| Race/Ethnicity | White | 8,912 | 23.7 | 15,031 | 22.1 | 42,843 | 25.7 |
| | Black | 16,548 | 44.1 | 30,917 | 45.5 | 73,177 | 43.9 |
| | Hispanic | 10,641 | 28.3 | 20,881 | 30.7 | 48,747 | 29.3 |
| | Asian/PI | 396 | 1.1 | 637 | 0.9 | 1,170 | 0.7 |
| | Native Am | 61 | 0.2 | 75 | 0.1 | 117 | 0.1 |
| | Multi Race | 96 | 0.3 | 115 | 0.2 | 131 | 0.1 |
| | Other/Unk | 904 | 2.4 | 286 | 0.4 | 352 | 0.2 |
| | TOTAL | 37,558 | 100.0 | 67,942 | 100.0 | 166,537 | 100.0 |
| Risk | MSM | 10,103 | 26.9 | 17,185 | 25.3 | 47,003 | 28.2 |
| | IDU | 5,272 | 14.0 | 19,338 | 28.5 | 64,145 | 38.5 |
| | MSM/IDU | 498 | 1.3 | 1,559 | 2.3 | 4,974 | 3.0 |
| | Heterosexual | 6,100 | 16.2 | 10,400 | 15.3 | 18,552 | 11.1 |
| | Blood Prod. | 143 | 0.4 | 431 | 0.6 | 1,375 | 0.8 |
| | Pediatric Risk | 1,440 | 3.8 | 935 | 1.4 | 2,426 | 1.5 |
| | Other/Unk | 14,002 | 37.3 | 18,094 | 26.6 | 28,062 | 16.9 |
| | TOTAL | 37,558 | 100.0 | 67,942 | 100.0 | 166,537 | 100.0 |

**All cases reported and confirmed from June 2000 - December 2005*

***All cases reported and confirmed from 1983 - December 2005*

STATEWIDE: Includes all 62 Counties

Table 2B
Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2004 - December 2004

| | | Initial HIV | | Initial AIDS | |
|-----------------------|----------------|-------------|---------|--------------|---------|
| | | Number | Percent | Number | Percent |
| Gender | Male | 1,874 | 67.2 | 3,236 | 67.2 |
| | Female | 915 | 32.8 | 1,576 | 32.8 |
| | TOTAL | 2,789 | 100.0 | 4,812 | 100.0 |
| Age Group | 12 & under | 24 | 0.9 | 7 | 0.1 |
| | 13-19 | 114 | 4.1 | 55 | 1.1 |
| | 20-24 | 310 | 11.1 | 173 | 3.6 |
| | 25-29 | 369 | 13.2 | 355 | 7.4 |
| | 30-49 | 1,611 | 57.8 | 3,171 | 65.9 |
| | 50+ | 361 | 12.9 | 1,051 | 21.8 |
| | TOTAL | 2,789 | 100.0 | 4,812 | 100.0 |
| Race/Ethnicity | White | 496 | 17.8 | 888 | 18.5 |
| | Black | 1,443 | 51.7 | 2,436 | 50.6 |
| | Hispanic | 728 | 26.1 | 1,380 | 28.7 |
| | Asian/PI | 47 | 1.7 | 68 | 1.4 |
| | Native Am | 9 | 0.3 | 8 | 0.2 |
| | Multi Race | 49 | 1.8 | 17 | 0.4 |
| | Other/Unk | 17 | 0.6 | 15 | 0.3 |
| | TOTAL | 2,789 | 100.0 | 4,812 | 100.0 |
| Risk | MSM | 1,024 | 36.7 | 1,232 | 25.6 |
| | IDU | 245 | 8.8 | 792 | 16.5 |
| | MSM/IDU | 34 | 1.2 | 91 | 1.9 |
| | Heterosexual | 463 | 16.6 | 839 | 17.4 |
| | Blood Prod. | 11 | 0.4 | 31 | 0.6 |
| | Pediatric Risk | 14 | 0.5 | 19 | 0.4 |
| | Other/Unk | 998 | 35.8 | 1,808 | 37.6 |
| | TOTAL | 2,789 | 100.0 | 4,812 | 100.0 |

**Cases reported and confirmed through December 2005*

NEW YORK CITY - TOTAL

Table 3A

HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk Diagnosed through December 2004

| | | AIDS** | | | | | |
|-----------------------|----------------|-------------|---------|--------|---------|------------|---------|
| | | Living HIV* | | Living | | Cumulative | |
| | | Number | Percent | Number | Percent | Number | Percent |
| Gender | Male | 18,283 | 63.9 | 37,080 | 69.9 | 99,122 | 73.8 |
| | Female | 10,093 | 35.3 | 15,941 | 30.1 | 35,168 | 26.2 |
| | Unk | 219 | 0.8 | 0 | 0.0 | 0 | 0.0 |
| | TOTAL | 28,595 | 100.0 | 53,021 | 100.0 | 134,290 | 100.0 |
| Age Group | 12 & under | 1,516 | 5.3 | 722 | 1.4 | 2,016 | 1.5 |
| | 13-19 | 690 | 2.4 | 472 | 0.9 | 655 | 0.5 |
| | 20-24 | 2,130 | 7.4 | 1,613 | 3.0 | 3,246 | 2.4 |
| | 25-29 | 3,429 | 12.0 | 4,978 | 9.4 | 12,474 | 9.3 |
| | 30-49 | 17,609 | 61.6 | 37,996 | 71.7 | 96,462 | 71.8 |
| | 50+ | 3,197 | 11.2 | 7,240 | 13.7 | 19,437 | 14.5 |
| | Unk | 24 | 0.1 | 0 | 0.0 | 0 | 0.0 |
| | TOTAL | 28,595 | 100.0 | 53,021 | 100.0 | 134,290 | 100.0 |
| Race/Ethnicity | White | 6,126 | 21.4 | 10,277 | 19.4 | 30,452 | 22.7 |
| | Black | 12,730 | 44.5 | 24,307 | 45.8 | 59,980 | 44.7 |
| | Hispanic | 8,464 | 29.6 | 17,528 | 33.1 | 42,380 | 31.6 |
| | Asian/PI | 361 | 1.3 | 591 | 1.1 | 1,088 | 0.8 |
| | Native Am | 33 | 0.1 | 35 | 0.1 | 60 | 0.0 |
| | Multi Race | 13 | 0.0 | 22 | 0.0 | 34 | 0.0 |
| | Other/Unk | 868 | 3.0 | 261 | 0.5 | 296 | 0.2 |
| | TOTAL | 28,595 | 100.0 | 53,021 | 100.0 | 134,290 | 100.0 |
| Risk | MSM | 8,213 | 28.7 | 13,900 | 26.2 | 38,763 | 28.9 |
| | IDU | 2,999 | 10.5 | 14,498 | 27.3 | 51,147 | 38.1 |
| | MSM/IDU | 322 | 1.1 | 1,054 | 2.0 | 3,650 | 2.7 |
| | Heterosexual | 4,357 | 15.2 | 7,950 | 15.0 | 14,666 | 10.9 |
| | Blood Prod. | 102 | 0.4 | 295 | 0.6 | 885 | 0.7 |
| | Pediatric Risk | 1,262 | 4.4 | 802 | 1.5 | 2,080 | 1.5 |
| | Other/Unk | 11,340 | 39.7 | 14,522 | 27.4 | 23,099 | 17.2 |
| | TOTAL | 28,595 | 100.0 | 53,021 | 100.0 | 134,290 | 100.0 |

**All cases reported and confirmed from June 2000 - December 2005*

***All cases reported and confirmed from 1983 - December 2005*

NEW YORK CITY - TOTAL

Table 3B

***Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2004 - December 2004***

| | | Initial HIV | | Initial AIDS | |
|-----------------------|----------------|-------------|---------|--------------|---------|
| | | Number | Percent | Number | Percent |
| Gender | Male | 1,526 | 67.0 | 2,581 | 66.8 |
| | Female | 750 | 33.0 | 1,285 | 33.2 |
| | TOTAL | 2,276 | 100.0 | 3,866 | 100.0 |
| Age Group | 12 & under | 21 | 0.9 | 6 | 0.2 |
| | 13-19 | 93 | 4.1 | 37 | 1.0 |
| | 20-24 | 253 | 11.1 | 143 | 3.7 |
| | 25-29 | 297 | 13.0 | 279 | 7.2 |
| | 30-49 | 1,330 | 58.4 | 2,551 | 66.0 |
| | 50+ | 282 | 12.4 | 850 | 22.0 |
| | TOTAL | 2,276 | 100.0 | 3,866 | 100.0 |
| Race/Ethnicity | White | 350 | 15.4 | 588 | 15.2 |
| | Black | 1,203 | 52.9 | 1,996 | 51.6 |
| | Hispanic | 651 | 28.6 | 1,199 | 31.0 |
| | Asian/PI | 45 | 2.0 | 64 | 1.7 |
| | Native Am | 7 | 0.3 | 2 | 0.1 |
| | Multi Race | 3 | 0.1 | 2 | 0.1 |
| | Other/Unk | 17 | 0.7 | 15 | 0.4 |
| | TOTAL | 2,276 | 100.0 | 3,866 | 100.0 |
| Risk | MSM | 871 | 38.3 | 1,001 | 25.9 |
| | IDU | 196 | 8.6 | 592 | 15.3 |
| | MSM/IDU | 25 | 1.1 | 72 | 1.9 |
| | Heterosexual | 359 | 15.8 | 651 | 16.8 |
| | Blood Prod. | 6 | 0.3 | 19 | 0.5 |
| | Pediatric Risk | 13 | 0.6 | 9 | 0.2 |
| | Other/Unk | 806 | 35.4 | 1,522 | 39.4 |
| | TOTAL | 2,276 | 100.0 | 3,866 | 100.0 |

****Cases reported and confirmed through December 2005***

NEW YORK STATE (Excluding NYC) - Includes Prisoners

Table 4A

HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk Diagnosed through December 2004

| | | AIDS** | | | | | |
|-----------------------|----------------|-------------|---------|--------|---------|------------|---------|
| | | Living HIV* | | Living | | Cumulative | |
| | | Number | Percent | Number | Percent | Number | Percent |
| Gender | Male | 5,931 | 66.2 | 10,954 | 73.4 | 25,073 | 77.8 |
| | Female | 3,031 | 33.8 | 3,967 | 26.6 | 7,174 | 22.2 |
| | Unk | 1 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | TOTAL | 8,963 | 100.0 | 14,921 | 100.0 | 32,247 | 100.0 |
| Age Group | 12 & under | 256 | 2.9 | 111 | 0.7 | 312 | 1.0 |
| | 13-19 | 251 | 2.8 | 143 | 1.0 | 212 | 0.7 |
| | 20-24 | 693 | 7.7 | 424 | 2.8 | 852 | 2.6 |
| | 25-29 | 1,162 | 13.0 | 1,498 | 10.0 | 3,483 | 10.8 |
| | 30-49 | 5,590 | 62.4 | 11,151 | 74.7 | 23,744 | 73.6 |
| | 50+ | 870 | 9.7 | 1,594 | 10.7 | 3,644 | 11.3 |
| | Unk | 141 | 1.6 | 0 | 0.0 | 0 | 0.0 |
| | TOTAL | 8,963 | 100.0 | 14,921 | 100.0 | 32,247 | 100.0 |
| Race/Ethnicity | White | 2,786 | 31.1 | 4,754 | 31.9 | 12,391 | 38.4 |
| | Black | 3,818 | 42.6 | 6,610 | 44.3 | 13,197 | 40.9 |
| | Hispanic | 2,177 | 24.3 | 3,353 | 22.5 | 6,367 | 19.7 |
| | Asian/PI | 35 | 0.4 | 46 | 0.3 | 82 | 0.3 |
| | Native Am | 28 | 0.3 | 40 | 0.3 | 57 | 0.2 |
| | Multi Race | 83 | 0.9 | 93 | 0.6 | 97 | 0.3 |
| | Other/Unk | 36 | 0.4 | 25 | 0.2 | 56 | 0.2 |
| | TOTAL | 8,963 | 100.0 | 14,921 | 100.0 | 32,247 | 100.0 |
| Risk | MSM | 1,890 | 21.1 | 3,285 | 22.0 | 8,240 | 25.6 |
| | IDU | 2,273 | 25.4 | 4,840 | 32.4 | 12,998 | 40.3 |
| | MSM/IDU | 176 | 2.0 | 505 | 3.4 | 1,324 | 4.1 |
| | Heterosexual | 1,743 | 19.4 | 2,450 | 16.4 | 3,886 | 12.1 |
| | Blood Prod. | 41 | 0.5 | 136 | 0.9 | 490 | 1.5 |
| | Pediatric Risk | 178 | 2.0 | 133 | 0.9 | 346 | 1.1 |
| | Other/Unk | 2,662 | 29.7 | 3,572 | 23.9 | 4,963 | 15.4 |
| | TOTAL | 8,963 | 100.0 | 14,921 | 100.0 | 32,247 | 100.0 |

***All cases reported and confirmed from June 2000 - December 2005**

****All cases reported and confirmed from 1983 - December 2005**

NEW YORK STATE (Excluding NYC) - Includes Prisoners

Table 4B

**Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2004 - December 2004**

| | | Initial HIV | | Initial AIDS | |
|-----------------------|----------------|-------------|---------|--------------|---------|
| | | Number | Percent | Number | Percent |
| Gender | Male | 348 | 67.8 | 655 | 69.2 |
| | Female | 165 | 32.2 | 291 | 30.8 |
| | TOTAL | 513 | 100.0 | 946 | 100.0 |
| Age Group | 12 & under | 3 | 0.6 | 1 | 0.1 |
| | 13-19 | 21 | 4.1 | 18 | 1.9 |
| | 20-24 | 57 | 11.1 | 30 | 3.2 |
| | 25-29 | 72 | 14.0 | 76 | 8.0 |
| | 30-49 | 281 | 54.8 | 620 | 65.5 |
| | 50+ | 79 | 15.4 | 201 | 21.2 |
| | TOTAL | 513 | 100.0 | 946 | 100.0 |
| Race/Ethnicity | White | 146 | 28.5 | 300 | 31.7 |
| | Black | 240 | 46.8 | 440 | 46.5 |
| | Hispanic | 77 | 15.0 | 181 | 19.1 |
| | Asian/PI | 2 | 0.4 | 4 | 0.4 |
| | Native Am | 2 | 0.4 | 6 | 0.6 |
| | Multi Race | 46 | 9.0 | 15 | 1.6 |
| | TOTAL | 513 | 100.0 | 946 | 100.0 |
| Risk | MSM | 153 | 29.8 | 231 | 24.4 |
| | IDU | 49 | 9.6 | 200 | 21.1 |
| | MSM/IDU | 9 | 1.8 | 19 | 2.0 |
| | Heterosexual | 104 | 20.3 | 188 | 19.9 |
| | Blood Prod. | 5 | 1.0 | 12 | 1.3 |
| | Pediatric Risk | 1 | 0.2 | 10 | 1.1 |
| | Other/Unk | 192 | 37.4 | 286 | 30.2 |
| | TOTAL | 513 | 100.0 | 946 | 100.0 |

**Cases reported and confirmed through December 2005*

NEW YORK STATE: (Excluding NYC) by County

Table 5A
HIV/AIDS Cases Diagnosed through December 2004

| | | | AIDS** | | | |
|-------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
| | Living HIV* | | Living | | Cumulative | |
| County | Excludes Prisoners | Includes Prisoners | Excludes Prisoners | Includes Prisoners | Excludes Prisoners | Includes Prisoners |
| Albany | 352 | 384 | 508 | 530 | 1,052 | 1,084 |
| Allegany | 4 | 4 | 9 | 10 | 21 | 22 |
| Broome | 117 | 118 | 138 | 142 | 278 | 282 |
| Cattaraugus | 17 | 39 | 21 | 48 | 45 | 77 |
| Cayuga | 21 | 87 | 45 | 147 | 81 | 299 |
| Chautauqua | 60 | 105 | 63 | 81 | 115 | 138 |
| Chemung | 38 | 90 | 36 | 96 | 117 | 252 |
| Chenango | 15 | 20 | 27 | 35 | 42 | 57 |
| Clinton | 23 | 105 | 30 | 230 | 61 | 466 |
| Columbia | 35 | 73 | 32 | 60 | 82 | 135 |
| Cortland | 8 | 8 | 9 | 9 | 22 | 22 |
| Delaware | 19 | 19 | 21 | 22 | 41 | 42 |
| Dutchess | 201 | 419 | 387 | 704 | 906 | 1,574 |
| Erie | 557 | 641 | 838 | 942 | 1,876 | 2,074 |
| Essex | 10 | 53 | 17 | 81 | 49 | 180 |
| Franklin | 15 | 224 | 24 | 232 | 40 | 377 |
| Fulton | 19 | 21 | 20 | 21 | 40 | 42 |
| Genessee | 15 | 15 | 22 | 24 | 44 | 46 |
| Greene | 23 | 62 | 44 | 125 | 75 | 219 |
| Hamilton | 1 | 1 | 1 | 1 | 2 | 2 |
| Herkimer | 12 | 12 | 13 | 13 | 31 | 31 |
| Jefferson | 27 | 179 | 35 | 168 | 71 | 279 |
| Lewis | 21 | 21 | 6 | 7 | 12 | 13 |
| Livingston | 20 | 100 | 31 | 108 | 67 | 206 |
| Madison | 11 | 13 | 16 | 28 | 35 | 51 |
| Monroe | 641 | 668 | 1,043 | 1,064 | 2,137 | 2,173 |
| Montgomery | 27 | 29 | 31 | 31 | 73 | 73 |
| Nassau | 710 | 726 | 1,560 | 1,586 | 3,826 | 3,873 |
| Niagara | 48 | 50 | 82 | 86 | 219 | 223 |
| Oneida | 107 | 325 | 167 | 501 | 355 | 946 |
| Onondaga | 287 | 294 | 476 | 487 | 1,065 | 1,081 |
| Ontario | 23 | 24 | 36 | 37 | 58 | 59 |
| Orange | 224 | 302 | 488 | 619 | 1,123 | 1,352 |

***All cases reported and confirmed from June 2000 - December 2005**

****All cases reported and confirmed from 1983 - December 2005**

NEW YORK STATE: (Excluding NYC) by County

Table 5A
HIV/AIDS Cases Diagnosed through December 2004

| | | | AIDS** | | | |
|-------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
| | Living HIV* | | Living | | Cumulative | |
| County | Excludes Prisoners | Includes Prisoners | Excludes Prisoners | Includes Prisoners | Excludes Prisoners | Includes Prisoners |
| Orleans | 14 | 241 | 25 | 237 | 42 | 358 |
| Oswego | 22 | 22 | 41 | 41 | 83 | 83 |
| Otsego | 22 | 22 | 31 | 32 | 66 | 67 |
| Putnam | 27 | 28 | 74 | 75 | 168 | 169 |
| Rensselaer | 82 | 87 | 129 | 133 | 258 | 262 |
| Rockland | 159 | 162 | 414 | 478 | 880 | 946 |
| Saratoga | 45 | 91 | 84 | 141 | 184 | 301 |
| Schenectady | 147 | 155 | 178 | 190 | 386 | 399 |
| Schoharie | 14 | 19 | 8 | 12 | 33 | 37 |
| Schuyler | 2 | 7 | 2 | 4 | 12 | 14 |
| Seneca | 16 | 82 | 8 | 62 | 20 | 78 |
| St Lawrence | 33 | 147 | 44 | 206 | 75 | 319 |
| Steuben | 22 | 23 | 27 | 27 | 74 | 74 |
| Suffolk | 786 | 807 | 1,535 | 1,562 | 3,761 | 3,821 |
| Sullivan | 121 | 177 | 187 | 263 | 481 | 635 |
| Tioga | 12 | 12 | 11 | 11 | 28 | 28 |
| Tompkins | 23 | 24 | 63 | 66 | 121 | 124 |
| Ulster | 135 | 272 | 269 | 459 | 606 | 931 |
| Warren | 22 | 22 | 29 | 29 | 59 | 59 |
| Washington | 11 | 80 | 20 | 122 | 46 | 299 |
| Wayne | 36 | 51 | 35 | 49 | 81 | 100 |
| Westchester | 821 | 1,081 | 1,993 | 2,276 | 4,562 | 5,055 |
| Wyoming | 7 | 113 | 11 | 168 | 19 | 327 |
| Yates | 7 | 7 | 3 | 3 | 10 | 10 |
| Unk | 0 | 0 | 0 | 0 | 1 | 1 |
| TOTAL | 6,294 | 8,963 | 11,497 | 14,921 | 26,117 | 32,247 |

***All cases reported and confirmed from June 2000 - December 2005**

****All cases reported and confirmed from 1983 - December 2005**

NEW YORK STATE: (Excluding NYC) by County

Table 5B

Newly Diagnosed HIV/AIDS Cases* Diagnosed January 2004 - December 2004

| County | Initial HIV Diagnosis | | Initial AIDS Diagnosis | |
|---------------|------------------------------|---------------------------|-------------------------------|---------------------------|
| | Excludes Prisoners | Includes Prisoners | Excludes Prisoners | Includes Prisoners |
| Albany | 27 | 27 | 44 | 45 |
| Allegany | 1 | 1 | 1 | 1 |
| Broome | 9 | 9 | 15 | 15 |
| Cattaraugus | 1 | 1 | 2 | 3 |
| Cayuga | 0 | 0 | 5 | 8 |
| Chautauqua | 6 | 6 | 6 | 7 |
| Chemung | 4 | 4 | 2 | 7 |
| Chenango | 0 | 0 | 3 | 3 |
| Clinton | 2 | 3 | 3 | 9 |
| Columbia | 3 | 3 | 2 | 3 |
| Cortland | 0 | 0 | 3 | 3 |
| Delaware | 1 | 1 | 1 | 1 |
| Dutchess | 12 | 13 | 37 | 56 |
| Erie | 43 | 46 | 66 | 68 |
| Essex | 1 | 1 | 0 | 1 |
| Franklin | 0 | 2 | 4 | 11 |
| Fulton | 2 | 2 | 2 | 2 |
| Greene | 1 | 2 | 4 | 6 |
| Hamilton | 0 | 0 | 0 | 0 |
| Herkimer | 0 | 0 | 1 | 1 |
| Jefferson | 2 | 2 | 1 | 2 |
| Livingston | 1 | 1 | 0 | 2 |
| Madison | 0 | 0 | 2 | 2 |
| Monroe | 51 | 51 | 79 | 81 |
| Montgomery | 2 | 2 | 3 | 3 |
| Nassau | 55 | 55 | 107 | 111 |
| Niagara | 6 | 6 | 5 | 5 |
| Oneida | 6 | 8 | 14 | 24 |
| Onondaga | 19 | 19 | 26 | 27 |
| Ontario | 0 | 0 | 2 | 2 |
| Orange | 14 | 14 | 42 | 47 |
| Orleans | 0 | 1 | 1 | 2 |
| Oswego | 2 | 2 | 4 | 4 |
| Otsego | 0 | 0 | 2 | 2 |
| Putnam | 2 | 2 | 3 | 3 |

***Cases reported and confirmed through December 2005**

NEW YORK STATE: (Excluding NYC) by County

Table 5B

Newly Diagnosed HIV/AIDS Cases* Diagnosed January 2004 - December 2004

| County | Initial HIV Diagonosis | | Initial AIDS Diagnosis | |
|---------------|-------------------------------|---------------------------|-------------------------------|---------------------------|
| | Excludes Prisoners | Includes Prisoners | Excludes Prisoners | Includes Prisoners |
| Rensselaer | 13 | 13 | 14 | 14 |
| Rockland | 20 | 20 | 30 | 30 |
| Saratoga | 4 | 5 | 11 | 11 |
| Schenectady | 13 | 13 | 16 | 17 |
| Schoharie | 1 | 1 | 1 | 1 |
| Seneca | 2 | 3 | 1 | 6 |
| St Lawrence | 1 | 1 | 4 | 7 |
| Steuben | 0 | 0 | 2 | 2 |
| Suffolk | 67 | 67 | 91 | 93 |
| Sullivan | 8 | 10 | 11 | 12 |
| Tioga | 2 | 2 | 1 | 1 |
| Tompkins | 2 | 2 | 3 | 3 |
| Ulster | 9 | 10 | 21 | 24 |
| Warren | 3 | 3 | 2 | 2 |
| Washington | 0 | 0 | 2 | 4 |
| Wayne | 2 | 2 | 2 | 3 |
| Westchester | 77 | 77 | 126 | 141 |
| Wyoming | 0 | 0 | 0 | 7 |
| Yates | 0 | 0 | 1 | 1 |
| Unk | 0 | 0 | 0 | 0 |
| TOTAL | 497 | 513 | 831 | 946 |

****Cases reported and confirmed through December 2005***

NEW YORK CITY - Males

Table 6A
Living HIV/AIDS Cases (including prisoners) by Age, Race/Ethnicity and Risk
Diagnosed through December 2004*

| | | Living HIV | | Living AIDS | |
|-----------------------|----------------|------------|---------|-------------|---------|
| | | Number | Percent | Number | Percent |
| Age Group | 12 & under | 737 | 4.0 | 356 | 1.0 |
| | 13-19 | 361 | 2.0 | 236 | 0.6 |
| | 20-24 | 1,286 | 7.0 | 959 | 2.6 |
| | 25-29 | 2,192 | 12.0 | 3,257 | 8.8 |
| | 30-49 | 11,555 | 63.2 | 26,876 | 72.5 |
| | 50+ | 2,138 | 11.7 | 5,396 | 14.6 |
| | Unk | 14 | 0.1 | 0 | 0.0 |
| | TOTAL | 18,283 | 100.0 | 37,080 | 100.0 |
| Race/Ethnicity | White | 5,364 | 29.3 | 8,732 | 23.5 |
| | Black | 6,713 | 36.7 | 15,239 | 41.1 |
| | Hispanic | 5,438 | 29.7 | 12,380 | 33.4 |
| | Asian/PI | 275 | 1.5 | 488 | 1.3 |
| | Native Am | 20 | 0.1 | 28 | 0.1 |
| | Multi Race | 10 | 0.1 | 17 | 0.0 |
| | Other/Unk | 463 | 2.5 | 196 | 0.5 |
| | TOTAL | 18,283 | 100.0 | 37,080 | 100.0 |
| Risk | MSM | 8,213 | 44.9 | 13,900 | 37.5 |
| | IDU | 1,865 | 10.2 | 9,932 | 26.8 |
| | MSM/IDU | 322 | 1.8 | 1,054 | 2.8 |
| | Heterosexual | 1,313 | 7.2 | 2,620 | 7.1 |
| | Blood Prod. | 36 | 0.2 | 130 | 0.4 |
| | Pediatric Risk | 620 | 3.4 | 400 | 1.1 |
| | Other/Unk | 5,914 | 32.3 | 9,044 | 24.4 |
| | TOTAL | 18,283 | 100.0 | 37,080 | 100.0 |

**Cases reported and confirmed through December 2005*

NEW YORK CITY - Males

Table 6B

***Newly Diagnosed HIV/AIDS Cases (including prisoners) by Age, Race/Ethnicity and Risk
Diagnosed January 2004 - December 2004****

| | | Initial HIV | | Initial AIDS | |
|-----------------------|----------------|-------------|---------|--------------|---------|
| | | Number | Percent | Number | Percent |
| Age Group | 12 & under | 14 | 0.9 | 3 | 0.1 |
| | 13-19 | 62 | 4.1 | 22 | 0.9 |
| | 20-24 | 177 | 11.6 | 103 | 4.0 |
| | 25-29 | 216 | 14.2 | 181 | 7.0 |
| | 30-49 | 881 | 57.7 | 1,689 | 65.4 |
| | 50+ | 176 | 11.5 | 583 | 22.6 |
| | TOTAL | 1,526 | 100.0 | 2,581 | 100.0 |
| Race/Ethnicity | White | 310 | 20.3 | 506 | 19.6 |
| | Black | 698 | 45.7 | 1,175 | 45.5 |
| | Hispanic | 476 | 31.2 | 835 | 32.4 |
| | Asian/PI | 29 | 1.9 | 50 | 1.9 |
| | Native Am | 3 | 0.2 | 2 | 0.1 |
| | Multi Race | 1 | 0.1 | 2 | 0.1 |
| | Other/Unk | 9 | 0.6 | 11 | 0.4 |
| | TOTAL | 1,526 | 100.0 | 2,581 | 100.0 |
| Risk | MSM | 871 | 57.1 | 1,001 | 38.8 |
| | IDU | 113 | 7.4 | 382 | 14.8 |
| | MSM/IDU | 25 | 1.6 | 72 | 2.8 |
| | Heterosexual | 129 | 8.5 | 246 | 9.5 |
| | Blood Prod. | 2 | 0.1 | 6 | 0.2 |
| | Pediatric Risk | 10 | 0.7 | 5 | 0.2 |
| | Other/Unk | 376 | 24.6 | 869 | 33.7 |
| | TOTAL | 1,526 | 100.0 | 2,581 | 100.0 |

****Cases reported and confirmed through December 2005***

NEW YORK CITY - Females

Table 6C
Living HIV/AIDS Cases (including prisoners) by Age, Race/Ethnicity and Risk
Diagnosed through December 2004*

| | | Living HIV | | Living AIDS | |
|-----------------------|----------------|------------|---------|-------------|---------|
| | | Number | Percent | Number | Percent |
| Age Group | 12 & under | 757 | 7.5 | 366 | 2.3 |
| | 13-19 | 328 | 3.2 | 236 | 1.5 |
| | 20-24 | 840 | 8.3 | 654 | 4.1 |
| | 25-29 | 1,227 | 12.2 | 1,721 | 10.8 |
| | 30-49 | 5,905 | 58.5 | 11,120 | 69.8 |
| | 50+ | 1,026 | 10.2 | 1,844 | 11.6 |
| | Unk | 10 | 0.1 | 0 | 0.0 |
| | TOTAL | 10,093 | 100.0 | 15,941 | 100.0 |
| Race/Ethnicity | White | 762 | 7.5 | 1,545 | 9.7 |
| | Black | 6,016 | 59.6 | 9,068 | 56.9 |
| | Hispanic | 3,025 | 30.0 | 5,148 | 32.3 |
| | Asian/PI | 86 | 0.9 | 103 | 0.6 |
| | Native Am | 13 | 0.1 | 7 | 0.0 |
| | Multi Race | 3 | 0.0 | 5 | 0.0 |
| | Other/Unk | 188 | 1.9 | 65 | 0.4 |
| | TOTAL | 10,093 | 100.0 | 15,941 | 100.0 |
| Risk | IDU | 1,134 | 11.2 | 4,566 | 28.6 |
| | Heterosexual | 3,044 | 30.2 | 5,330 | 33.4 |
| | Blood Prod. | 66 | 0.7 | 165 | 1.0 |
| | Pediatric Risk | 642 | 6.4 | 402 | 2.5 |
| | Other/Unk | 5,207 | 51.6 | 5,478 | 34.4 |
| | TOTAL | 10,093 | 100.0 | 15,941 | 100.0 |

**Cases reported and confirmed through December 2005*

NEW YORK CITY - Females

Table 6D

***Newly Diagnosed HIV/AIDS Cases (including prisoners) by Age, Race/Ethnicity and Risk
Diagnosed January 2004 - December 2004****

| | | Initial HIV | | Initial AIDS | |
|-----------------------|----------------|-------------|---------|--------------|---------|
| | | Number | Percent | Number | Percent |
| Age Group | 12 & under | 7 | 0.9 | 3 | 0.2 |
| | 13-19 | 31 | 4.1 | 15 | 1.2 |
| | 20-24 | 76 | 10.1 | 40 | 3.1 |
| | 25-29 | 81 | 10.8 | 98 | 7.6 |
| | 30-49 | 449 | 59.9 | 862 | 67.1 |
| | 50+ | 106 | 14.1 | 267 | 20.8 |
| | TOTAL | 750 | 100.0 | 1,285 | 100.0 |
| Race/Ethnicity | White | 40 | 5.3 | 82 | 6.4 |
| | Black | 505 | 67.3 | 821 | 63.9 |
| | Hispanic | 175 | 23.3 | 364 | 28.3 |
| | Asian/PI | 16 | 2.1 | 14 | 1.1 |
| | Native Am | 4 | 0.5 | 0 | 0.0 |
| | Multi Race | 2 | 0.3 | 0 | 0.0 |
| | Other/Unk | 8 | 1.1 | 4 | 0.3 |
| | TOTAL | 750 | 100.0 | 1,285 | 100.0 |
| Risk | IDU | 83 | 11.1 | 210 | 16.3 |
| | Heterosexual | 230 | 30.7 | 405 | 31.5 |
| | Blood Prod. | 4 | 0.5 | 13 | 1.0 |
| | Pediatric Risk | 3 | 0.4 | 4 | 0.3 |
| | Other/Unk | 430 | 57.3 | 653 | 50.8 |
| | TOTAL | 750 | 100.0 | 1,285 | 100.0 |

****Cases reported and confirmed through December 2005***

NEW YORK STATE (Excluding NYC) -Males

Table 7A
Living HIV/AIDS Cases (excluding prisoners)
by Age, Race/Ethnicity and Risk Diagnosed through December 2004*

| | | Living HIV | | Living AIDS | |
|-----------------------|----------------|------------|---------|-------------|---------|
| | | Number | Percent | Number | Percent |
| Age Group | 12 & under | 121 | 3.1 | 58 | 0.7 |
| | 13-19 | 97 | 2.5 | 72 | 0.9 |
| | 20-24 | 301 | 7.8 | 191 | 2.4 |
| | 25-29 | 468 | 12.2 | 676 | 8.5 |
| | 30-49 | 2,359 | 61.4 | 5,906 | 74.3 |
| | 50+ | 408 | 10.6 | 1,047 | 13.2 |
| | Unk | 90 | 2.3 | 0 | 0.0 |
| | TOTAL | 3,844 | 100.0 | 7,950 | 100.0 |
| Race/Ethnicity | White | 1,793 | 46.6 | 3,455 | 43.5 |
| | Black | 1,365 | 35.5 | 3,071 | 38.6 |
| | Hispanic | 590 | 15.3 | 1,308 | 16.5 |
| | Asian/PI | 21 | 0.5 | 31 | 0.4 |
| | Native Am | 13 | 0.3 | 20 | 0.3 |
| | Multi Race | 39 | 1.0 | 51 | 0.6 |
| | Other/Unk | 23 | 0.6 | 14 | 0.2 |
| | TOTAL | 3,844 | 100.0 | 7,950 | 100.0 |
| Risk | MSM | 1,803 | 46.9 | 3,167 | 39.8 |
| | IDU | 696 | 18.1 | 2,257 | 28.4 |
| | MSM/IDU | 135 | 3.5 | 424 | 5.3 |
| | Heterosexual | 376 | 9.8 | 664 | 8.4 |
| | Blood Prod. | 29 | 0.8 | 91 | 1.1 |
| | Pediatric Risk | 85 | 2.2 | 78 | 1.0 |
| | Other/Unk | 720 | 18.7 | 1,269 | 16.0 |
| | TOTAL | 3,844 | 100.0 | 7,950 | 100.0 |

**Cases reported and confirmed through December 2005*

NEW YORK STATE (Excluding NYC) -Males

Table 7B

**Newly Diagnosed HIV/AIDS Cases (excluding prisoners) by Age, Race/Ethnicity and Risk
Diagnosed January 2004 - December 2004***

| | | Initial HIV | | Initial AIDS | |
|-----------------------|----------------|-------------|---------|--------------|---------|
| | | Number | Percent | Number | Percent |
| Age Group | 12 & under | 1 | 0.3 | 1 | 0.2 |
| | 13-19 | 9 | 2.7 | 13 | 2.3 |
| | 20-24 | 34 | 10.2 | 18 | 3.2 |
| | 25-29 | 43 | 12.9 | 41 | 7.4 |
| | 30-49 | 194 | 58.1 | 353 | 63.5 |
| | 50+ | 53 | 15.9 | 130 | 23.4 |
| | TOTAL | 334 | 100.0 | 556 | 100.0 |
| Race/Ethnicity | White | 114 | 34.1 | 216 | 38.8 |
| | Black | 148 | 44.3 | 224 | 40.3 |
| | Hispanic | 46 | 13.8 | 106 | 19.1 |
| | Asian/PI | 0 | 0.0 | 2 | 0.4 |
| | Native Am | 2 | 0.6 | 2 | 0.4 |
| | Multi Race | 24 | 7.2 | 6 | 1.1 |
| | TOTAL | 334 | 100.0 | 556 | 100.0 |
| Risk | MSM | 152 | 45.5 | 223 | 40.1 |
| | IDU | 29 | 8.7 | 97 | 17.4 |
| | MSM/IDU | 9 | 2.7 | 15 | 2.7 |
| | Heterosexual | 35 | 10.5 | 65 | 11.7 |
| | Blood Prod. | 4 | 1.2 | 5 | 0.9 |
| | Pediatric Risk | 0 | 0.0 | 8 | 1.4 |
| | Other/Unk | 105 | 31.4 | 143 | 25.7 |
| | TOTAL | 334 | 100.0 | 556 | 100.0 |

**Cases reported and confirmed through December 2005*

NEW YORK STATE (Excluding NYC) -Females

Table 7C

**Living HIV/AIDS Cases (excluding prisoners)
by Age, Race/Ethnicity and Risk Diagnosed through December 2004***

| | | Living HIV | | Living AIDS | |
|-----------------------|----------------|------------|---------|-------------|---------|
| | | Number | Percent | Number | Percent |
| Age Group | 12 & under | 134 | 5.5 | 53 | 1.5 |
| | 13-19 | 129 | 5.3 | 60 | 1.7 |
| | 20-24 | 260 | 10.6 | 145 | 4.1 |
| | 25-29 | 355 | 14.5 | 440 | 12.4 |
| | 30-49 | 1,335 | 54.5 | 2,522 | 71.1 |
| | 50+ | 190 | 7.8 | 327 | 9.2 |
| | Unk | 46 | 1.9 | 0 | 0.0 |
| | TOTAL | 2,449 | 100.0 | 3,547 | 100.0 |
| Race/Ethnicity | White | 776 | 31.7 | 1,050 | 29.6 |
| | Black | 1,232 | 50.3 | 1,871 | 52.7 |
| | Hispanic | 383 | 15.6 | 570 | 16.1 |
| | Asian/PI | 11 | 0.4 | 11 | 0.3 |
| | Native Am | 9 | 0.4 | 12 | 0.3 |
| | Multi Race | 27 | 1.1 | 26 | 0.7 |
| | Other/Unk | 11 | 0.4 | 7 | 0.2 |
| | TOTAL | 2,449 | 100.0 | 3,547 | 100.0 |
| Risk | IDU | 450 | 18.4 | 1,033 | 29.1 |
| | Heterosexual | 1,208 | 49.3 | 1,639 | 46.2 |
| | Blood Prod. | 12 | 0.5 | 40 | 1.1 |
| | Pediatric Risk | 93 | 3.8 | 55 | 1.6 |
| | Other/Unk | 686 | 28.0 | 780 | 22.0 |
| | TOTAL | 2,449 | 100.0 | 3,547 | 100.0 |

**Cases reported and confirmed through December 2005*

NEW YORK STATE (Excluding NYC) -Females

Table 7D

**Newly Diagnosed HIV/AIDS Cases (excluding prisoners) by Age, Race/Ethnicity and Risk
Diagnosed January 2004 - December 2004***

| | | Initial HIV | | Initial AIDS | |
|-----------------------|----------------|-------------|---------|--------------|---------|
| | | Number | Percent | Number | Percent |
| Age Group | 12 & under | 2 | 1.2 | 0 | 0.0 |
| | 13-19 | 12 | 7.4 | 4 | 1.5 |
| | 20-24 | 22 | 13.5 | 10 | 3.6 |
| | 25-29 | 27 | 16.6 | 25 | 9.1 |
| | 30-49 | 75 | 46.0 | 185 | 67.3 |
| | 50+ | 25 | 15.3 | 51 | 18.5 |
| | TOTAL | 163 | 100.0 | 275 | 100.0 |
| Race/Ethnicity | White | 31 | 19.0 | 81 | 29.5 |
| | Black | 86 | 52.8 | 149 | 54.2 |
| | Hispanic | 29 | 17.8 | 36 | 13.1 |
| | Asian/PI | 2 | 1.2 | 2 | 0.7 |
| | Native Am | 0 | 0.0 | 4 | 1.5 |
| | Multi Race | 15 | 9.2 | 3 | 1.1 |
| | TOTAL | 163 | 100.0 | 275 | 100.0 |
| Risk | IDU | 13 | 8.0 | 51 | 18.5 |
| | Heterosexual | 67 | 41.1 | 114 | 41.5 |
| | Blood Prod. | 1 | 0.6 | 6 | 2.2 |
| | Pediatric Risk | 1 | 0.6 | 2 | 0.7 |
| | Other/Unk | 81 | 49.7 | 102 | 37.1 |
| | TOTAL | 163 | 100.0 | 275 | 100.0 |

**Cases reported and confirmed through December 2005*

NEW YORK STATE (Excluding NYC) -PRISONERS

Table 8A
Living HIV/AIDS Cases*
Diagnosed through December 2004*

| | | | HIV | | AIDS | | |
|-------|-----------|----------------|------------|---------|--------|---------|-------|
| | | | Number | Percent | Number | Percent | |
| MALES | Age Group | 12 & under | 1 | 0.0 | 0 | 0.0 | |
| | | 13-19 | 21 | 1.0 | 9 | 0.3 | |
| | | 20-24 | 100 | 4.8 | 77 | 2.6 | |
| | | 25-29 | 269 | 12.9 | 321 | 10.7 | |
| | | 30-49 | 1,470 | 70.4 | 2,392 | 79.6 | |
| | | 50+ | 222 | 10.6 | 205 | 6.8 | |
| | | Unk | 4 | 0.2 | 0 | 0.0 | |
| | | TOTAL | 2,087 | 100.0 | 3,004 | 100.0 | |
| | | Race/Ethnicity | White | 157 | 7.5 | 222 | 7.4 |
| | | | Black | 941 | 45.1 | 1,422 | 47.3 |
| | | | Hispanic | 966 | 46.3 | 1,330 | 44.3 |
| | | | Asian/PI | 3 | 0.1 | 4 | 0.1 |
| | | | Native Am | 4 | 0.2 | 7 | 0.2 |
| | | | Multi Race | 15 | 0.7 | 16 | 0.5 |
| | | | Other/Unk | 1 | 0.0 | 3 | 0.1 |
| | | | TOTAL | 2,087 | 100.0 | 3,004 | 100.0 |
| | FEMALES | Age Group | 13-19 | 4 | 0.7 | 2 | 0.5 |
| | | 20-24 | 32 | 5.5 | 11 | 2.6 | |
| | | 25-29 | 70 | 12.0 | 61 | 14.5 | |
| | | 30-49 | 425 | 73.0 | 331 | 78.8 | |
| | | 50+ | 50 | 8.6 | 15 | 3.6 | |
| | | Unk | 1 | 0.2 | 0 | 0.0 | |
| | | TOTAL | 582 | 100.0 | 420 | 100.0 | |
| | | Race/Ethnicity | White | 60 | 10.3 | 27 | 6.4 |
| | | | Black | 279 | 47.9 | 246 | 58.6 |
| | | | Hispanic | 238 | 40.9 | 145 | 34.5 |
| | | | Native Am | 2 | 0.3 | 1 | 0.2 |
| | | | Multi Race | 2 | 0.3 | 0 | 0.0 |
| | | | Other/Unk | 1 | 0.2 | 1 | 0.2 |
| | | | TOTAL | 582 | 100.0 | 420 | 100.0 |

**Cases reported and confirmed through December 2005*

NEW YORK STATE (Excluding NYC) -PRISONERS

Table 8B

**Newly Diagnosed HIV/AIDS Cases* by Gender, Age, and Race/Ethnicity
Diagnosed January 2004 - December 2004***

| | | Initial HIV | | Initial AIDS | |
|-----------------------|------------|-------------|---------|--------------|---------|
| | | Number | Percent | Number | Percent |
| Gender | Male | 14 | 87.5 | 99 | 86.1 |
| | Female | 2 | 12.5 | 16 | 13.9 |
| | TOTAL | 16 | 100.0 | 115 | 100.0 |
| Age Group | 13-19 | 0 | 0.0 | 1 | 0.9 |
| | 20-24 | 1 | 6.3 | 2 | 1.7 |
| | 25-29 | 2 | 12.5 | 10 | 8.7 |
| | 30-49 | 12 | 75.0 | 82 | 71.3 |
| | 50+ | 1 | 6.3 | 20 | 17.4 |
| | TOTAL | 16 | 100.0 | 115 | 100.0 |
| Race/Ethnicity | White | 1 | 6.3 | 3 | 2.6 |
| | Black | 6 | 37.5 | 67 | 58.3 |
| | Hispanic | 2 | 12.5 | 39 | 33.9 |
| | Multi Race | 7 | 43.8 | 6 | 5.2 |
| | TOTAL | 16 | 100.0 | 115 | 100.0 |

**Cases reported and confirmed through December 2005*

NEW YORK STATE (Excluding NYC) by Ryan White Region

***Table 9A
Living HIV/AIDS Cases* Diagnosed through December 2004***

| | Ryan White Region | Living HIV | Living AIDS | Cumulative AIDS |
|---------------------------|--------------------------|-------------------|--------------------|------------------------|
| INCLUDES PRISONERS | Albany | 1,447 | 1,992 | 4,044 |
| | Binghamton | 150 | 188 | 367 |
| | Buffalo | 1,208 | 1,596 | 3,265 |
| | Lower Hudson | 1,271 | 2,829 | 6,170 |
| | Mid Hudson | 1,170 | 2,045 | 4,492 |
| | Nassau/Suffolk | 1,533 | 3,148 | 7,694 |
| | Rochester | 1,052 | 1,450 | 2,966 |
| | Syracuse | 1,132 | 1,673 | 3,248 |
| | Unk | 0 | 0 | 1 |
| | TOTAL | 8,963 | 14,921 | 32,247 |
| EXCLUDES PRISONERS | Albany | 867 | 1,207 | 2,547 |
| | Binghamton | 144 | 176 | 348 |
| | Buffalo | 722 | 1,071 | 2,381 |
| | Lower Hudson | 1,007 | 2,481 | 5,610 |
| | Mid Hudson | 681 | 1,331 | 3,116 |
| | Nassau/Suffolk | 1,496 | 3,095 | 7,587 |
| | Rochester | 805 | 1,221 | 2,576 |
| | Syracuse | 572 | 915 | 1,951 |
| | Unk | 0 | 0 | 1 |
| | TOTAL | 6,294 | 11,497 | 26,117 |

NEW YORK STATE (Excluding NYC) by Ryan White Region

***Table 9B
Newly Diagnosed HIV/AIDS Cases*
Diagnosed January 2004 - December 2004***

| | Ryan White Region | Initial HIV | Initial AIDS |
|---------------------------|--------------------------|--------------------|---------------------|
| INCLUDES PRISONERS | Albany | 78 | 132 |
| | Binghamton | 11 | 19 |
| | Buffalo | 61 | 93 |
| | Lower Hudson | 99 | 174 |
| | Mid Hudson | 47 | 139 |
| | Nassau/Suffolk | 122 | 204 |
| | Rochester | 61 | 104 |
| | Syracuse | 34 | 81 |
| | TOTAL | 513 | 946 |
| EXCLUDES PRISONERS | Albany | 73 | 111 |
| | Binghamton | 11 | 19 |
| | Buffalo | 57 | 81 |
| | Lower Hudson | 99 | 159 |
| | Mid Hudson | 43 | 111 |
| | Nassau/Suffolk | 122 | 198 |
| | Rochester | 60 | 89 |
| | Syracuse | 32 | 63 |
| | TOTAL | 497 | 831 |

****Cases reported and confirmed through December 2005***

RYAN WHITE REGION: ALBANY

(Includes counties of: Albany, Clinton, Columbia, Delaware, Essex, Franklin, Fulton, Greene, Hamilton, Montgomery, Otsego, Rensselaer, Saratoga, Schenectady, Schoharie, Warren, Washington)

Table 10A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed through December 2004

| | | AIDS*** | | | | | |
|-----------------------|----------------|--------------|---------|--------|---------|------------|---------|
| | | Living HIV** | | Living | | Cumulative | |
| | | Number | Percent | Number | Percent | Number | Percent |
| Gender | Male | 534 | 61.6 | 848 | 70.3 | 1,946 | 76.4 |
| | Female | 333 | 38.4 | 359 | 29.7 | 601 | 23.6 |
| | TOTAL | 867 | 100.0 | 1,207 | 100.0 | 2,547 | 100.0 |
| Age Group | 12 & under | 31 | 3.6 | 12 | 1.0 | 28 | 1.1 |
| | 13-19 | 34 | 3.9 | 12 | 1.0 | 19 | 0.7 |
| | 20-24 | 104 | 12.0 | 35 | 2.9 | 78 | 3.1 |
| | 25-29 | 144 | 16.6 | 143 | 11.8 | 316 | 12.4 |
| | 30-49 | 480 | 55.4 | 879 | 72.8 | 1,829 | 71.8 |
| | 50+ | 71 | 8.2 | 126 | 10.4 | 277 | 10.9 |
| | Unk | 3 | 0.3 | 0 | 0.0 | 0 | 0.0 |
| | TOTAL | 867 | 100.0 | 1,207 | 100.0 | 2,547 | 100.0 |
| Race/Ethnicity | White | 449 | 51.8 | 594 | 49.2 | 1,401 | 55.0 |
| | Black | 298 | 34.4 | 442 | 36.6 | 808 | 31.7 |
| | Hispanic | 97 | 11.2 | 157 | 13.0 | 315 | 12.4 |
| | Asian/PI | 5 | 0.6 | 4 | 0.3 | 6 | 0.2 |
| | Native Am | 5 | 0.6 | 3 | 0.2 | 5 | 0.2 |
| | Multi Race | 8 | 0.9 | 5 | 0.4 | 6 | 0.2 |
| | Other/Unk | 5 | 0.6 | 2 | 0.2 | 6 | 0.2 |
| | TOTAL | 867 | 100.0 | 1,207 | 100.0 | 2,547 | 100.0 |
| Risk | MSM | 298 | 34.4 | 383 | 31.7 | 926 | 36.4 |
| | IDU | 131 | 15.1 | 293 | 24.3 | 731 | 28.7 |
| | MSM/IDU | 18 | 2.1 | 40 | 3.3 | 106 | 4.2 |
| | Heterosexual | 196 | 22.6 | 198 | 16.4 | 310 | 12.2 |
| | Blood Prod. | 7 | 0.8 | 14 | 1.2 | 52 | 2.0 |
| | Pediatric Risk | 20 | 2.3 | 13 | 1.1 | 29 | 1.1 |
| | Other/Unk | 197 | 22.7 | 266 | 22.0 | 393 | 15.4 |
| | TOTAL | 867 | 100.0 | 1,207 | 100.0 | 2,547 | 100.0 |

***Excludes Prisoners**

****All cases reported and confirmed from June 2000 - December 2005**

*****All cases reported and confirmed from 1983 - December 2005**

RYAN WHITE REGION: ALBANY

(Includes counties of: Albany, Clinton, Columbia, Delaware, Essex, Franklin, Fulton, Greene, Hamilton, Montgomery, Otsego, Rensselaer, Saratoga, Schenectady, Schoharie, Warren, Washington)

Table 10B

***Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2004 - December 2004***

| | | Initial HIV | | Initial AIDS | |
|-----------------------|----------------|-------------|---------|--------------|---------|
| | | Number | Percent | Number | Percent |
| Gender | Male | 46 | 63.0 | 77 | 69.4 |
| | Female | 27 | 37.0 | 34 | 30.6 |
| | TOTAL | 73 | 100.0 | 111 | 100.0 |
| Age Group | 13-19 | 2 | 2.7 | 1 | 0.9 |
| | 20-24 | 9 | 12.3 | 5 | 4.5 |
| | 25-29 | 10 | 13.7 | 11 | 9.9 |
| | 30-49 | 40 | 54.8 | 72 | 64.9 |
| | 50+ | 12 | 16.4 | 22 | 19.8 |
| | TOTAL | 73 | 100.0 | 111 | 100.0 |
| Race/Ethnicity | White | 30 | 41.1 | 49 | 44.1 |
| | Black | 29 | 39.7 | 42 | 37.8 |
| | Hispanic | 8 | 11.0 | 17 | 15.3 |
| | Native Am | 0 | 0.0 | 1 | 0.9 |
| | Multi Race | 6 | 8.2 | 2 | 1.8 |
| | TOTAL | 73 | 100.0 | 111 | 100.0 |
| Risk | MSM | 26 | 35.6 | 34 | 30.6 |
| | IDU | 4 | 5.5 | 19 | 17.1 |
| | MSM/IDU | 1 | 1.4 | 5 | 4.5 |
| | Heterosexual | 20 | 27.4 | 24 | 21.6 |
| | Blood Prod. | 0 | 0.0 | 1 | 0.9 |
| | Pediatric Risk | 0 | 0.0 | 1 | 0.9 |
| | Other/Unk | 22 | 30.1 | 27 | 24.3 |
| | TOTAL | 73 | 100.0 | 111 | 100.0 |

****Excludes Prisoners***

Cases reported and confirmed through December 2005

RYAN WHITE REGION: BINGHAMTON
(Includes counties of: Broome, Chenango, Tioga)

Table 11A

HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed through December 2004

| | | AIDS*** | | | | | |
|-----------------------|----------------|--------------|---------|--------|---------|------------|---------|
| | | Living HIV** | | Living | | Cumulative | |
| | | Number | Percent | Number | Percent | Number | Percent |
| Gender | Male | 89 | 61.8 | 120 | 68.2 | 261 | 75.0 |
| | Female | 55 | 38.2 | 56 | 31.8 | 87 | 25.0 |
| | TOTAL | 144 | 100.0 | 176 | 100.0 | 348 | 100.0 |
| Age Group | 12 & under | 8 | 5.6 | 0 | 0.0 | 1 | 0.3 |
| | 13-19 | 2 | 1.4 | 2 | 1.1 | 4 | 1.1 |
| | 20-24 | 17 | 11.8 | 7 | 4.0 | 13 | 3.7 |
| | 25-29 | 22 | 15.3 | 12 | 6.8 | 39 | 11.2 |
| | 30-49 | 87 | 60.4 | 135 | 76.7 | 254 | 73.0 |
| | 50+ | 8 | 5.6 | 20 | 11.4 | 37 | 10.6 |
| | TOTAL | 144 | 100.0 | 176 | 100.0 | 348 | 100.0 |
| Race/Ethnicity | White | 78 | 54.2 | 103 | 58.5 | 233 | 67.0 |
| | Black | 40 | 27.8 | 51 | 29.0 | 81 | 23.3 |
| | Hispanic | 21 | 14.6 | 21 | 11.9 | 33 | 9.5 |
| | Native Am | 0 | 0.0 | 1 | 0.6 | 1 | 0.3 |
| | Multi Race | 4 | 2.8 | 0 | 0.0 | 0 | 0.0 |
| | Other/Unk | 1 | 0.7 | 0 | 0.0 | 0 | 0.0 |
| | TOTAL | 144 | 100.0 | 176 | 100.0 | 348 | 100.0 |
| Risk | MSM | 32 | 22.2 | 65 | 36.9 | 146 | 42.0 |
| | IDU | 33 | 22.9 | 39 | 22.2 | 81 | 23.3 |
| | MSM/IDU | 6 | 4.2 | 6 | 3.4 | 21 | 6.0 |
| | Heterosexual | 24 | 16.7 | 23 | 13.1 | 39 | 11.2 |
| | Blood Prod. | 1 | 0.7 | 2 | 1.1 | 4 | 1.1 |
| | Pediatric Risk | 8 | 5.6 | 1 | 0.6 | 4 | 1.1 |
| | Other/Unk | 40 | 27.8 | 40 | 22.7 | 53 | 15.2 |
| | TOTAL | 144 | 100.0 | 176 | 100.0 | 348 | 100.0 |

***Excludes Prisoners**

****All cases reported and confirmed from June 2000 - December 2005**

*****All cases reported and confirmed from 1983 - December 2005**

RYAN WHITE REGION: BINGHAMTON
(Includes counties of: Broome, Chenango, Tioga)

Table 11B
Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2004 - December 2004

| | | Initial HIV | | Initial AIDS | |
|-----------------------|--------------|-------------|---------|--------------|---------|
| | | Number | Percent | Number | Percent |
| Gender | Male | 8 | 72.7 | 12 | 63.2 |
| | Female | 3 | 27.3 | 7 | 36.8 |
| | TOTAL | 11 | 100.0 | 19 | 100.0 |
| Age Group | 20-24 | 2 | 18.2 | 1 | 5.3 |
| | 25-29 | 2 | 18.2 | 3 | 15.8 |
| | 30-49 | 4 | 36.4 | 12 | 63.2 |
| | 50+ | 3 | 27.3 | 3 | 15.8 |
| | TOTAL | 11 | 100.0 | 19 | 100.0 |
| Race/Ethnicity | White | 3 | 27.3 | 7 | 36.8 |
| | Black | 2 | 18.2 | 8 | 42.1 |
| | Hispanic | 1 | 9.1 | 4 | 21.1 |
| | Multi Race | 5 | 45.5 | 0 | 0.0 |
| | TOTAL | 11 | 100.0 | 19 | 100.0 |
| Risk | MSM | 2 | 18.2 | 5 | 26.3 |
| | IDU | 2 | 18.2 | 2 | 10.5 |
| | MSM/IDU | 2 | 18.2 | 1 | 5.3 |
| | Heterosexual | 0 | 0.0 | 4 | 21.1 |
| | Other/Unk | 5 | 45.5 | 7 | 36.8 |
| | TOTAL | 11 | 100.0 | 19 | 100.0 |

****Excludes Prisoners***
Cases reported and confirmed through December 2005

RYAN WHITE REGION: BUFFALO

(Includes counties of: Allegany, Cattaraugus, Chautauqua, Erie, Genesee, Niagara, Orleans, Wyoming)

Table 12A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed through December 2004

| | | AIDS*** | | | | | |
|-----------------------|----------------|--------------|---------|--------|---------|------------|---------|
| | | Living HIV** | | Living | | Cumulative | |
| | | Number | Percent | Number | Percent | Number | Percent |
| Gender | Male | 442 | 61.2 | 785 | 73.3 | 1,848 | 77.6 |
| | Female | 280 | 38.8 | 286 | 26.7 | 533 | 22.4 |
| | TOTAL | 722 | 100.0 | 1,071 | 100.0 | 2,381 | 100.0 |
| Age Group | 12 & under | 18 | 2.5 | 5 | 0.5 | 18 | 0.8 |
| | 13-19 | 43 | 6.0 | 16 | 1.5 | 23 | 1.0 |
| | 20-24 | 93 | 12.9 | 42 | 3.9 | 93 | 3.9 |
| | 25-29 | 120 | 16.6 | 105 | 9.8 | 279 | 11.7 |
| | 30-49 | 402 | 55.7 | 770 | 71.9 | 1,647 | 69.2 |
| | 50+ | 46 | 6.4 | 133 | 12.4 | 321 | 13.5 |
| | TOTAL | 722 | 100.0 | 1,071 | 100.0 | 2,381 | 100.0 |
| Race/Ethnicity | White | 270 | 37.4 | 426 | 39.8 | 1,034 | 43.4 |
| | Black | 325 | 45.0 | 480 | 44.8 | 1,043 | 43.8 |
| | Hispanic | 107 | 14.8 | 137 | 12.8 | 262 | 11.0 |
| | Asian/PI | 5 | 0.7 | 6 | 0.6 | 9 | 0.4 |
| | Native Am | 1 | 0.1 | 9 | 0.8 | 12 | 0.5 |
| | Multi Race | 13 | 1.8 | 10 | 0.9 | 10 | 0.4 |
| | Other/Unk | 1 | 0.1 | 3 | 0.3 | 11 | 0.5 |
| | TOTAL | 722 | 100.0 | 1,071 | 100.0 | 2,381 | 100.0 |
| Risk | MSM | 249 | 34.5 | 439 | 41.0 | 1,036 | 43.5 |
| | IDU | 131 | 18.1 | 234 | 21.8 | 659 | 27.7 |
| | MSM/IDU | 20 | 2.8 | 50 | 4.7 | 107 | 4.5 |
| | Heterosexual | 233 | 32.3 | 255 | 23.8 | 404 | 17.0 |
| | Blood Prod. | 4 | 0.6 | 12 | 1.1 | 41 | 1.7 |
| | Pediatric Risk | 16 | 2.2 | 9 | 0.8 | 23 | 1.0 |
| | Other/Unk | 69 | 9.6 | 72 | 6.7 | 111 | 4.7 |
| | TOTAL | 722 | 100.0 | 1,071 | 100.0 | 2,381 | 100.0 |

**Excludes Prisoners*

***All cases reported and confirmed from June 2000 - December 2005*

****All cases reported and confirmed from 1983 - December 2005*

RYAN WHITE REGION: BUFFALO*(Includes counties of: Allegany, Cattaraugus, Chautauqua, Erie, Genesee, Niagara, Orleans, Wyoming)***Table 12B*****Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2004 - December 2004***

| | | Initial HIV | | Initial AIDS | |
|-----------------------|----------------|-------------|---------|--------------|---------|
| | | Number | Percent | Number | Percent |
| Gender | Male | 39 | 68.4 | 60 | 74.1 |
| | Female | 18 | 31.6 | 21 | 25.9 |
| | TOTAL | 57 | 100.0 | 81 | 100.0 |
| Age Group | 13-19 | 3 | 5.3 | 1 | 1.2 |
| | 20-24 | 10 | 17.5 | 2 | 2.5 |
| | 25-29 | 6 | 10.5 | 7 | 8.6 |
| | 30-49 | 31 | 54.4 | 58 | 71.6 |
| | 50+ | 7 | 12.3 | 13 | 16.0 |
| | TOTAL | 57 | 100.0 | 81 | 100.0 |
| Race/Ethnicity | White | 15 | 26.3 | 31 | 38.3 |
| | Black | 30 | 52.6 | 41 | 50.6 |
| | Hispanic | 3 | 5.3 | 8 | 9.9 |
| | Asian/PI | 2 | 3.5 | 0 | 0.0 |
| | Multi Race | 7 | 12.3 | 1 | 1.2 |
| | TOTAL | 57 | 100.0 | 81 | 100.0 |
| Risk | MSM | 22 | 38.6 | 37 | 45.7 |
| | IDU | 4 | 7.0 | 12 | 14.8 |
| | MSM/IDU | 2 | 3.5 | 2 | 2.5 |
| | Heterosexual | 11 | 19.3 | 18 | 22.2 |
| | Blood Prod. | 1 | 1.8 | 1 | 1.2 |
| | Pediatric Risk | 0 | 0.0 | 1 | 1.2 |
| | Other/Unk | 17 | 29.8 | 10 | 12.3 |
| | TOTAL | 57 | 100.0 | 81 | 100.0 |

****Excludes Prisoners******Cases reported and confirmed through December 2005***

RYAN WHITE REGION: LOWER HUDSON
(Includes counties of: Putnam, Rockland, Westchester)

Table 13A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed through December 2004

| | | AIDS*** | | | | | |
|-----------------------|----------------|--------------|---------|--------|---------|------------|---------|
| | | Living HIV** | | Living | | Cumulative | |
| | | Number | Percent | Number | Percent | Number | Percent |
| Gender | Male | 590 | 58.6 | 1,639 | 66.1 | 4,025 | 71.7 |
| | Female | 416 | 41.3 | 842 | 33.9 | 1,585 | 28.3 |
| | Unk | 1 | 0.1 | 0 | 0.0 | 0 | 0.0 |
| | TOTAL | 1,007 | 100.0 | 2,481 | 100.0 | 5,610 | 100.0 |
| Age Group | 12 & under | 43 | 4.3 | 30 | 1.2 | 83 | 1.5 |
| | 13-19 | 26 | 2.6 | 32 | 1.3 | 42 | 0.7 |
| | 20-24 | 77 | 7.6 | 56 | 2.3 | 125 | 2.2 |
| | 25-29 | 93 | 9.2 | 202 | 8.1 | 487 | 8.7 |
| | 30-49 | 571 | 56.7 | 1,846 | 74.4 | 4,072 | 72.6 |
| | 50+ | 140 | 13.9 | 315 | 12.7 | 801 | 14.3 |
| | Unk | 57 | 5.7 | 0 | 0.0 | 0 | 0.0 |
| | TOTAL | 1,007 | 100.0 | 2,481 | 100.0 | 5,610 | 100.0 |
| Race/Ethnicity | White | 272 | 27.0 | 631 | 25.4 | 1,829 | 32.6 |
| | Black | 515 | 51.1 | 1,296 | 52.2 | 2,764 | 49.3 |
| | Hispanic | 202 | 20.1 | 517 | 20.8 | 963 | 17.2 |
| | Asian/PI | 3 | 0.3 | 3 | 0.1 | 14 | 0.2 |
| | Native Am | 0 | 0.0 | 4 | 0.2 | 5 | 0.1 |
| | Multi Race | 12 | 1.2 | 23 | 0.9 | 24 | 0.4 |
| | Other/Unk | 3 | 0.3 | 7 | 0.3 | 11 | 0.2 |
| | TOTAL | 1,007 | 100.0 | 2,481 | 100.0 | 5,610 | 100.0 |
| Risk | MSM | 217 | 21.5 | 499 | 20.1 | 1,352 | 24.1 |
| | IDU | 190 | 18.9 | 891 | 35.9 | 2,395 | 42.7 |
| | MSM/IDU | 15 | 1.5 | 83 | 3.3 | 200 | 3.6 |
| | Heterosexual | 346 | 34.4 | 664 | 26.8 | 1,027 | 18.3 |
| | Blood Prod. | 6 | 0.6 | 18 | 0.7 | 73 | 1.3 |
| | Pediatric Risk | 32 | 3.2 | 33 | 1.3 | 88 | 1.6 |
| | Other/Unk | 201 | 20.0 | 293 | 11.8 | 475 | 8.5 |
| | TOTAL | 1,007 | 100.0 | 2,481 | 100.0 | 5,610 | 100.0 |

***Excludes Prisoners**

****All cases reported and confirmed from June 2000 - December 2005**

*****All cases reported and confirmed from 1983 - December 2005**

RYAN WHITE REGION: LOWER HUDSON
(Includes counties of: Putnam, Rockland, Westchester)

Table 13B
Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2004 - December 2004

| | | Initial HIV | | Initial AIDS | |
|-----------------------|----------------|-------------|---------|--------------|---------|
| | | Number | Percent | Number | Percent |
| Gender | Male | 61 | 61.6 | 101 | 63.5 |
| | Female | 38 | 38.4 | 58 | 36.5 |
| | TOTAL | 99 | 100.0 | 159 | 100.0 |
| Age Group | 13-19 | 8 | 8.1 | 5 | 3.1 |
| | 20-24 | 8 | 8.1 | 9 | 5.7 |
| | 25-29 | 16 | 16.2 | 7 | 4.4 |
| | 30-49 | 47 | 47.5 | 99 | 62.3 |
| | 50+ | 20 | 20.2 | 39 | 24.5 |
| | TOTAL | 99 | 100.0 | 159 | 100.0 |
| Race/Ethnicity | White | 18 | 18.2 | 38 | 23.9 |
| | Black | 53 | 53.5 | 83 | 52.2 |
| | Hispanic | 19 | 19.2 | 37 | 23.3 |
| | Native Am | 1 | 1.0 | 1 | 0.6 |
| | Multi Race | 8 | 8.1 | 0 | 0.0 |
| | TOTAL | 99 | 100.0 | 159 | 100.0 |
| Risk | MSM | 27 | 27.3 | 32 | 20.1 |
| | IDU | 9 | 9.1 | 36 | 22.6 |
| | MSM/IDU | 0 | 0.0 | 2 | 1.3 |
| | Heterosexual | 28 | 28.3 | 47 | 29.6 |
| | Blood Prod. | 2 | 2.0 | 1 | 0.6 |
| | Pediatric Risk | 0 | 0.0 | 3 | 1.9 |
| | Other/Unk | 33 | 33.3 | 38 | 23.9 |
| | TOTAL | 99 | 100.0 | 159 | 100.0 |

****Excludes Prisoners***
Cases reported and confirmed through December 2005

RYAN WHITE REGION: MID-HUDSON
(Includes counties of: Dutchess, Orange, Sullivan, Ulster)

Table 14A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed through December 2004

| | | AIDS*** | | | | | |
|-----------------------|----------------|--------------|---------|--------|---------|------------|---------|
| | | Living HIV** | | Living | | Cumulative | |
| | | Number | Percent | Number | Percent | Number | Percent |
| Gender | Male | 401 | 58.9 | 918 | 69.0 | 2,352 | 75.5 |
| | Female | 280 | 41.1 | 413 | 31.0 | 764 | 24.5 |
| | TOTAL | 681 | 100.0 | 1,331 | 100.0 | 3,116 | 100.0 |
| Age Group | 12 & under | 27 | 4.0 | 15 | 1.1 | 38 | 1.2 |
| | 13-19 | 17 | 2.5 | 14 | 1.1 | 19 | 0.6 |
| | 20-24 | 46 | 6.8 | 31 | 2.3 | 65 | 2.1 |
| | 25-29 | 56 | 8.2 | 111 | 8.3 | 273 | 8.8 |
| | 30-49 | 435 | 63.9 | 983 | 73.9 | 2,320 | 74.5 |
| | 50+ | 67 | 9.8 | 177 | 13.3 | 401 | 12.9 |
| | Unk | 33 | 4.8 | 0 | 0.0 | 0 | 0.0 |
| | TOTAL | 681 | 100.0 | 1,331 | 100.0 | 3,116 | 100.0 |
| Race/Ethnicity | White | 297 | 43.6 | 498 | 37.4 | 1,237 | 39.7 |
| | Black | 260 | 38.2 | 534 | 40.1 | 1,163 | 37.3 |
| | Hispanic | 114 | 16.7 | 287 | 21.6 | 695 | 22.3 |
| | Asian/PI | 3 | 0.4 | 0 | 0.0 | 4 | 0.1 |
| | Native Am | 2 | 0.3 | 2 | 0.2 | 4 | 0.1 |
| | Multi Race | 5 | 0.7 | 7 | 0.5 | 8 | 0.3 |
| | Other/Unk | 0 | 0.0 | 3 | 0.2 | 5 | 0.2 |
| | TOTAL | 681 | 100.0 | 1,331 | 100.0 | 3,116 | 100.0 |
| Risk | MSM | 142 | 20.9 | 253 | 19.0 | 666 | 21.4 |
| | IDU | 204 | 30.0 | 514 | 38.6 | 1,477 | 47.4 |
| | MSM/IDU | 17 | 2.5 | 43 | 3.2 | 108 | 3.5 |
| | Heterosexual | 205 | 30.1 | 317 | 23.8 | 482 | 15.5 |
| | Blood Prod. | 4 | 0.6 | 8 | 0.6 | 39 | 1.3 |
| | Pediatric Risk | 25 | 3.7 | 16 | 1.2 | 39 | 1.3 |
| | Other/Unk | 84 | 12.3 | 180 | 13.5 | 305 | 9.8 |
| | TOTAL | 681 | 100.0 | 1,331 | 100.0 | 3,116 | 100.0 |

***Excludes Prisoners**

****All cases reported and confirmed from June 2000 - December 2005**

*****All cases reported and confirmed from 1983 - December 2005**

RYAN WHITE REGION: MID-HUDSON
(Includes counties of: Dutchess, Orange, Sullivan, Ulster)

Table 14B
Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2004 - December 2004

| | | Initial HIV | | Initial AIDS | |
|-----------------------|--------------|-------------|---------|--------------|---------|
| | | Number | Percent | Number | Percent |
| Gender | Male | 28 | 65.1 | 74 | 66.7 |
| | Female | 15 | 34.9 | 37 | 33.3 |
| | TOTAL | 43 | 100.0 | 111 | 100.0 |
| Age Group | 13-19 | 0 | 0.0 | 2 | 1.8 |
| | 20-24 | 7 | 16.3 | 0 | 0.0 |
| | 25-29 | 4 | 9.3 | 7 | 6.3 |
| | 30-49 | 25 | 58.1 | 69 | 62.2 |
| | 50+ | 7 | 16.3 | 33 | 29.7 |
| | TOTAL | 43 | 100.0 | 111 | 100.0 |
| Race/Ethnicity | White | 10 | 23.3 | 50 | 45.0 |
| | Black | 17 | 39.5 | 42 | 37.8 |
| | Hispanic | 13 | 30.2 | 19 | 17.1 |
| | Native Am | 1 | 2.3 | 0 | 0.0 |
| | Multi Race | 2 | 4.7 | 0 | 0.0 |
| | TOTAL | 43 | 100.0 | 111 | 100.0 |
| Risk | MSM | 7 | 16.3 | 26 | 23.4 |
| | IDU | 6 | 14.0 | 26 | 23.4 |
| | MSM/IDU | 0 | 0.0 | 1 | 0.9 |
| | Heterosexual | 11 | 25.6 | 35 | 31.5 |
| | Blood Prod. | 1 | 2.3 | 0 | 0.0 |
| | Other/Unk | 18 | 41.9 | 23 | 20.7 |
| | TOTAL | 43 | 100.0 | 111 | 100.0 |

****Excludes Prisoners***
Cases reported and confirmed through December 2005

RYAN WHITE REGION: NASSAU/SUFFOLK
(Includes counties of: Nassau, Suffolk)

Table 15A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed through December 2004

| | | AIDS*** | | | | | |
|-----------------------|----------------|--------------|---------|--------|---------|------------|---------|
| | | Living HIV** | | Living | | Cumulative | |
| | | Number | Percent | Number | Percent | Number | Percent |
| Gender | Male | 881 | 58.9 | 2,138 | 69.1 | 5,626 | 74.2 |
| | Female | 615 | 41.1 | 957 | 30.9 | 1,961 | 25.8 |
| | TOTAL | 1,496 | 100.0 | 3,095 | 100.0 | 7,587 | 100.0 |
| Age Group | 12 & under | 97 | 6.5 | 37 | 1.2 | 112 | 1.5 |
| | 13-19 | 45 | 3.0 | 40 | 1.3 | 59 | 0.8 |
| | 20-24 | 101 | 6.8 | 94 | 3.0 | 184 | 2.4 |
| | 25-29 | 169 | 11.3 | 275 | 8.9 | 732 | 9.6 |
| | 30-49 | 896 | 59.9 | 2,255 | 72.9 | 5,509 | 72.6 |
| | 50+ | 147 | 9.8 | 394 | 12.7 | 991 | 13.1 |
| | Unk | 41 | 2.7 | 0 | 0.0 | 0 | 0.0 |
| | TOTAL | 1,496 | 100.0 | 3,095 | 100.0 | 7,587 | 100.0 |
| Race/Ethnicity | White | 587 | 39.2 | 1,263 | 40.8 | 3,662 | 48.3 |
| | Black | 607 | 40.6 | 1,282 | 41.4 | 2,922 | 38.5 |
| | Hispanic | 261 | 17.4 | 504 | 16.3 | 932 | 12.3 |
| | Asian/PI | 12 | 0.8 | 19 | 0.6 | 33 | 0.4 |
| | Native Am | 6 | 0.4 | 6 | 0.2 | 11 | 0.1 |
| | Multi Race | 7 | 0.5 | 17 | 0.5 | 17 | 0.2 |
| | Other/Unk | 16 | 1.1 | 4 | 0.1 | 10 | 0.1 |
| | TOTAL | 1,496 | 100.0 | 3,095 | 100.0 | 7,587 | 100.0 |
| Risk | MSM | 394 | 26.3 | 825 | 26.7 | 2,193 | 28.9 |
| | IDU | 219 | 14.6 | 816 | 26.4 | 2,695 | 35.5 |
| | MSM/IDU | 30 | 2.0 | 124 | 4.0 | 344 | 4.5 |
| | Heterosexual | 304 | 20.3 | 492 | 15.9 | 891 | 11.7 |
| | Blood Prod. | 14 | 0.9 | 44 | 1.4 | 168 | 2.2 |
| | Pediatric Risk | 55 | 3.7 | 40 | 1.3 | 119 | 1.6 |
| | Other/Unk | 480 | 32.1 | 754 | 24.4 | 1,177 | 15.5 |
| | TOTAL | 1,496 | 100.0 | 3,095 | 100.0 | 7,587 | 100.0 |

***Excludes Prisoners**

****All cases reported and confirmed from June 2000 - December 2005**

*****All cases reported and confirmed from 1983 - December 2005**

RYAN WHITE REGION: NASSAU/SUFFOLK
(Includes counties of: Nassau, Suffolk)

Table 15B
Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2004 - December 2004

| | | Initial HIV | | Initial AIDS | |
|-----------------------|----------------|-------------|---------|--------------|---------|
| | | Number | Percent | Number | Percent |
| Gender | Male | 83 | 68.0 | 132 | 66.7 |
| | Female | 39 | 32.0 | 66 | 33.3 |
| | TOTAL | 122 | 100.0 | 198 | 100.0 |
| Age Group | 12 & under | 2 | 1.6 | 1 | 0.5 |
| | 13-19 | 6 | 4.9 | 5 | 2.5 |
| | 20-24 | 10 | 8.2 | 7 | 3.5 |
| | 25-29 | 16 | 13.1 | 18 | 9.1 |
| | 30-49 | 69 | 56.6 | 123 | 62.1 |
| | 50+ | 19 | 15.6 | 44 | 22.2 |
| | TOTAL | 122 | 100.0 | 198 | 100.0 |
| Race/Ethnicity | White | 43 | 35.2 | 66 | 33.3 |
| | Black | 55 | 45.1 | 88 | 44.4 |
| | Hispanic | 23 | 18.9 | 39 | 19.7 |
| | Asian/PI | 0 | 0.0 | 4 | 2.0 |
| | Native Am | 0 | 0.0 | 1 | 0.5 |
| | Multi Race | 1 | 0.8 | 0 | 0.0 |
| | TOTAL | 122 | 100.0 | 198 | 100.0 |
| Risk | MSM | 40 | 32.8 | 50 | 25.3 |
| | IDU | 8 | 6.6 | 25 | 12.6 |
| | MSM/IDU | 3 | 2.5 | 1 | 0.5 |
| | Heterosexual | 16 | 13.1 | 25 | 12.6 |
| | Blood Prod. | 1 | 0.8 | 7 | 3.5 |
| | Pediatric Risk | 1 | 0.8 | 2 | 1.0 |
| | Other/Unk | 53 | 43.4 | 88 | 44.4 |
| | TOTAL | 122 | 100.0 | 198 | 100.0 |

****Excludes Prisoners***
Cases reported and confirmed through December 2005

RYAN WHITE REGION: ROCHESTER

(Includes counties of: Chemung, Livingston, Monroe, Ontario, Schuylers, Seneca, Steuben, Wayne, Yates)

Table 16A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed through December 2004

| | | AIDS*** | | | | | |
|-----------------------|----------------|--------------|---------|--------|---------|------------|---------|
| | | Living HIV** | | Living | | Cumulative | |
| | | Number | Percent | Number | Percent | Number | Percent |
| Gender | Male | 546 | 67.8 | 846 | 69.3 | 1,935 | 75.1 |
| | Female | 259 | 32.2 | 375 | 30.7 | 641 | 24.9 |
| | TOTAL | 805 | 100.0 | 1,221 | 100.0 | 2,576 | 100.0 |
| Age Group | 12 & under | 13 | 1.6 | 8 | 0.7 | 20 | 0.8 |
| | 13-19 | 27 | 3.4 | 6 | 0.5 | 13 | 0.5 |
| | 20-24 | 64 | 8.0 | 24 | 2.0 | 64 | 2.5 |
| | 25-29 | 134 | 16.6 | 158 | 12.9 | 319 | 12.4 |
| | 30-49 | 484 | 60.1 | 901 | 73.8 | 1,877 | 72.9 |
| | 50+ | 83 | 10.3 | 124 | 10.2 | 283 | 11.0 |
| | TOTAL | 805 | 100.0 | 1,221 | 100.0 | 2,576 | 100.0 |
| Race/Ethnicity | White | 324 | 40.2 | 512 | 41.9 | 1,262 | 49.0 |
| | Black | 352 | 43.7 | 526 | 43.1 | 992 | 38.5 |
| | Hispanic | 111 | 13.8 | 168 | 13.8 | 302 | 11.7 |
| | Asian/PI | 0 | 0.0 | 3 | 0.2 | 5 | 0.2 |
| | Native Am | 4 | 0.5 | 1 | 0.1 | 3 | 0.1 |
| | Multi Race | 11 | 1.4 | 10 | 0.8 | 10 | 0.4 |
| | Other/Unk | 3 | 0.4 | 1 | 0.1 | 2 | 0.1 |
| | TOTAL | 805 | 100.0 | 1,221 | 100.0 | 2,576 | 100.0 |
| Risk | MSM | 282 | 35.0 | 369 | 30.2 | 931 | 36.1 |
| | IDU | 140 | 17.4 | 321 | 26.3 | 783 | 30.4 |
| | MSM/IDU | 16 | 2.0 | 40 | 3.3 | 106 | 4.1 |
| | Heterosexual | 117 | 14.5 | 156 | 12.8 | 247 | 9.6 |
| | Blood Prod. | 3 | 0.4 | 13 | 1.1 | 42 | 1.6 |
| | Pediatric Risk | 8 | 1.0 | 12 | 1.0 | 23 | 0.9 |
| | Other/Unk | 239 | 29.7 | 310 | 25.4 | 444 | 17.2 |
| | TOTAL | 805 | 100.0 | 1,221 | 100.0 | 2,576 | 100.0 |

**Excludes Prisoners*

***All cases reported and confirmed from June 2000 - December 2005*

****All cases reported and confirmed from 1983 - December 2005*

RYAN WHITE REGION: ROCHESTER*(Includes counties of: Chemung, Livingston, Monroe, Ontario, Schuylar, Seneca, Steuben, Wayne, Yates)***Table 16B*****Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2004 - December 2004***

| | | Initial HIV | | Initial AIDS | |
|-----------------------|----------------|-------------|---------|--------------|---------|
| | | Number | Percent | Number | Percent |
| Gender | Male | 45 | 75.0 | 59 | 66.3 |
| | Female | 15 | 25.0 | 30 | 33.7 |
| | TOTAL | 60 | 100.0 | 89 | 100.0 |
| Age Group | 12 & under | 1 | 1.7 | 0 | 0.0 |
| | 13-19 | 1 | 1.7 | 2 | 2.2 |
| | 20-24 | 6 | 10.0 | 3 | 3.4 |
| | 25-29 | 7 | 11.7 | 7 | 7.9 |
| | 30-49 | 38 | 63.3 | 58 | 65.2 |
| | 50+ | 7 | 11.7 | 19 | 21.3 |
| | TOTAL | 60 | 100.0 | 89 | 100.0 |
| Race/Ethnicity | White | 15 | 25.0 | 29 | 32.6 |
| | Black | 32 | 53.3 | 43 | 48.3 |
| | Hispanic | 4 | 6.7 | 14 | 15.7 |
| | Multi Race | 9 | 15.0 | 3 | 3.4 |
| | TOTAL | 60 | 100.0 | 89 | 100.0 |
| Risk | MSM | 18 | 30.0 | 19 | 21.3 |
| | IDU | 3 | 5.0 | 19 | 21.3 |
| | MSM/IDU | 0 | 0.0 | 2 | 2.2 |
| | Heterosexual | 8 | 13.3 | 8 | 9.0 |
| | Pediatric Risk | 0 | 0.0 | 2 | 2.2 |
| | Other/Unk | 31 | 51.7 | 39 | 43.8 |
| | TOTAL | 60 | 100.0 | 89 | 100.0 |

****Excludes Prisoners******Cases reported and confirmed through December 2005***

RYAN WHITE REGION: SYRACUSE
(Includes counties of: Cayuga, Cortland, Herkimer, Jefferson, Lewis, Madison, Oneida, Onondaga, Oswego, St. Lawrence, Tompkins)

Table 17A
HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed through December 2004

| | | AIDS*** | | | | | |
|-----------------------|----------------|--------------|---------|--------|---------|------------|---------|
| | | Living HIV** | | Living | | Cumulative | |
| | | Number | Percent | Number | Percent | Number | Percent |
| Gender | Male | 361 | 63.1 | 656 | 71.7 | 1,516 | 77.7 |
| | Female | 211 | 36.9 | 259 | 28.3 | 435 | 22.3 |
| | TOTAL | 572 | 100.0 | 915 | 100.0 | 1,951 | 100.0 |
| Age Group | 12 & under | 18 | 3.1 | 4 | 0.4 | 12 | 0.6 |
| | 13-19 | 32 | 5.6 | 10 | 1.1 | 22 | 1.1 |
| | 20-24 | 59 | 10.3 | 47 | 5.1 | 82 | 4.2 |
| | 25-29 | 85 | 14.9 | 110 | 12.0 | 253 | 13.0 |
| | 30-49 | 340 | 59.4 | 659 | 72.0 | 1,399 | 71.7 |
| | 50+ | 36 | 6.3 | 85 | 9.3 | 183 | 9.4 |
| | Unk | 2 | 0.3 | 0 | 0.0 | 0 | 0.0 |
| | TOTAL | 572 | 100.0 | 915 | 100.0 | 1,951 | 100.0 |
| Race/Ethnicity | White | 292 | 51.0 | 478 | 52.2 | 1,146 | 58.7 |
| | Black | 201 | 35.1 | 331 | 36.2 | 615 | 31.5 |
| | Hispanic | 60 | 10.5 | 87 | 9.5 | 169 | 8.7 |
| | Asian/PI | 4 | 0.7 | 7 | 0.8 | 7 | 0.4 |
| | Native Am | 4 | 0.7 | 6 | 0.7 | 7 | 0.4 |
| | Multi Race | 6 | 1.0 | 5 | 0.5 | 6 | 0.3 |
| | Other/Unk | 5 | 0.9 | 1 | 0.1 | 1 | 0.1 |
| | TOTAL | 572 | 100.0 | 915 | 100.0 | 1,951 | 100.0 |
| Risk | MSM | 189 | 33.0 | 334 | 36.5 | 799 | 41.0 |
| | IDU | 98 | 17.1 | 182 | 19.9 | 460 | 23.6 |
| | MSM/IDU | 13 | 2.3 | 38 | 4.2 | 105 | 5.4 |
| | Heterosexual | 159 | 27.8 | 198 | 21.6 | 303 | 15.5 |
| | Blood Prod. | 2 | 0.3 | 20 | 2.2 | 60 | 3.1 |
| | Pediatric Risk | 14 | 2.4 | 9 | 1.0 | 21 | 1.1 |
| | Other/Unk | 97 | 17.0 | 134 | 14.6 | 203 | 10.4 |
| | TOTAL | 572 | 100.0 | 915 | 100.0 | 1,951 | 100.0 |

**Excludes Prisoners*

***All cases reported and confirmed from June 2000 - December 2005*

****All cases reported and confirmed from 1983 - December 2005*

RYAN WHITE REGION: SYRACUSE

(Includes counties of: Cayuga, Cortland, Herkimer, Jefferson, Lewis, Madison, Oneida, Onondaga, Oswego, St. Lawrence, Tompkins)

Table 17B

***Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2004 - December 2004***

| | | Initial HIV | | Initial AIDS | |
|-----------------------|----------------|-------------|---------|--------------|---------|
| | | Number | Percent | Number | Percent |
| Gender | Male | 24 | 75.0 | 41 | 65.1 |
| | Female | 8 | 25.0 | 22 | 34.9 |
| | TOTAL | 32 | 100.0 | 63 | 100.0 |
| Age Group | 13-19 | 1 | 3.1 | 1 | 1.6 |
| | 20-24 | 4 | 12.5 | 1 | 1.6 |
| | 25-29 | 9 | 28.1 | 6 | 9.5 |
| | 30-49 | 15 | 46.9 | 47 | 74.6 |
| | 50+ | 3 | 9.4 | 8 | 12.7 |
| | TOTAL | 32 | 100.0 | 63 | 100.0 |
| Race/Ethnicity | White | 11 | 34.4 | 27 | 42.9 |
| | Black | 16 | 50.0 | 26 | 41.3 |
| | Hispanic | 4 | 12.5 | 4 | 6.3 |
| | Native Am | 0 | 0.0 | 3 | 4.8 |
| | Multi Race | 1 | 3.1 | 3 | 4.8 |
| | TOTAL | 32 | 100.0 | 63 | 100.0 |
| Risk | MSM | 10 | 31.3 | 20 | 31.7 |
| | IDU | 6 | 18.8 | 9 | 14.3 |
| | MSM/IDU | 1 | 3.1 | 1 | 1.6 |
| | Heterosexual | 8 | 25.0 | 18 | 28.6 |
| | Blood Prod. | 0 | 0.0 | 1 | 1.6 |
| | Pediatric Risk | 0 | 0.0 | 1 | 1.6 |
| | Other/Unk | 7 | 21.9 | 13 | 20.6 |
| | TOTAL | 32 | 100.0 | 63 | 100.0 |

****Excludes Prisoners***

Cases reported and confirmed through December 2005

NEW YORK CITY: by Borough

Table 18A

HIV/AIDS Cases Diagnosed through December 2004

| | | AIDS** | |
|---------------|-------------|--------|------------|
| Borough | Living HIV* | Living | Cumulative |
| Bronx | 6,998 | 11,845 | 28,550 |
| Brooklyn | 7,275 | 14,291 | 36,188 |
| Manhattan | 10,099 | 17,606 | 47,805 |
| Queens | 3,635 | 8,264 | 18,975 |
| Staten Island | 588 | 1,015 | 2,772 |
| TOTAL | 28,595 | 53,021 | 134,290 |

****All cases reported and confirmed from June 2000 - December 2005***

*****All cases reported and confirmed from 1983 - December 2005***

NEW YORK CITY: by Borough

Table 18B

***Newly Diagnosed HIV/AIDS Cases*
Diagnosed January 2004 - December 2004***

| Borough | Initial HIV | Initial AIDS |
|----------------|--------------------|---------------------|
| Bronx | 575 | 953 |
| Brooklyn | 632 | 1,071 |
| Manhattan | 712 | 1,203 |
| Queens | 316 | 575 |
| Staten Island | 41 | 64 |
| TOTAL | 2,276 | 3,866 |

****Cases reported and confirmed through December 2005***

BOROUGH: BRONX**Table 19A*****HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk
Diagnosed through December 2004***

| | | AIDS** | | | | | |
|-----------------------|----------------|-------------|---------|--------|---------|------------|---------|
| | | Living HIV* | | Living | | Cumulative | |
| | | Number | Percent | Number | Percent | Number | Percent |
| Gender | Male | 3,665 | 52.4 | 7,355 | 62.1 | 18,799 | 65.8 |
| | Female | 3,331 | 47.6 | 4,490 | 37.9 | 9,751 | 34.2 |
| | Unk | 2 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | TOTAL | 6,998 | 100.0 | 11,845 | 100.0 | 28,550 | 100.0 |
| Age Group | 12 & under | 552 | 7.9 | 213 | 1.8 | 585 | 2.0 |
| | 13-19 | 206 | 2.9 | 132 | 1.1 | 174 | 0.6 |
| | 20-24 | 567 | 8.1 | 397 | 3.4 | 774 | 2.7 |
| | 25-29 | 796 | 11.4 | 1,057 | 8.9 | 2,657 | 9.3 |
| | 30-49 | 4,069 | 58.1 | 8,453 | 71.4 | 20,384 | 71.4 |
| | 50+ | 793 | 11.3 | 1,593 | 13.4 | 3,976 | 13.9 |
| | Unk | 15 | 0.2 | 0 | 0.0 | 0 | 0.0 |
| | TOTAL | 6,998 | 100.0 | 11,845 | 100.0 | 28,550 | 100.0 |
| Race/Ethnicity | White | 344 | 4.9 | 664 | 5.6 | 1,897 | 6.6 |
| | Black | 3,341 | 47.7 | 5,128 | 43.3 | 12,120 | 42.5 |
| | Hispanic | 3,180 | 45.4 | 5,971 | 50.4 | 14,397 | 50.4 |
| | Asian/PI | 24 | 0.3 | 39 | 0.3 | 84 | 0.3 |
| | Native Am | 7 | 0.1 | 6 | 0.1 | 10 | 0.0 |
| | Multi Race | 1 | 0.0 | 1 | 0.0 | 3 | 0.0 |
| | Other/Unk | 101 | 1.4 | 36 | 0.3 | 39 | 0.1 |
| | TOTAL | 6,998 | 100.0 | 11,845 | 100.0 | 28,550 | 100.0 |
| Risk | MSM | 874 | 12.5 | 1,604 | 13.5 | 4,226 | 14.8 |
| | IDU | 1,009 | 14.4 | 4,039 | 34.1 | 13,411 | 47.0 |
| | MSM/IDU | 86 | 1.2 | 268 | 2.3 | 836 | 2.9 |
| | Heterosexual | 1,178 | 16.8 | 2,166 | 18.3 | 4,145 | 14.5 |
| | Blood Prod. | 28 | 0.4 | 67 | 0.6 | 164 | 0.6 |
| | Pediatric Risk | 482 | 6.9 | 251 | 2.1 | 622 | 2.2 |
| | Other/Unk | 3,341 | 47.7 | 3,450 | 29.1 | 5,146 | 18.0 |
| | TOTAL | 6,998 | 100.0 | 11,845 | 100.0 | 28,550 | 100.0 |

****All cases reported and confirmed from June 2000 - December 2005********All cases reported and confirmed from 1983 - December 2005***

BOROUGH: BRONX**Table 19B**

***Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2004 - December 2004***

| | | Initial HIV | | Initial AIDS | |
|-----------------------|----------------|-------------|---------|--------------|---------|
| | | Number | Percent | Number | Percent |
| Gender | Male | 342 | 59.5 | 561 | 58.9 |
| | Female | 233 | 40.5 | 392 | 41.1 |
| | TOTAL | 575 | 100.0 | 953 | 100.0 |
| Age Group | 12 & under | 9 | 1.6 | 0 | 0.0 |
| | 13-19 | 37 | 6.4 | 9 | 0.9 |
| | 20-24 | 73 | 12.7 | 33 | 3.5 |
| | 25-29 | 61 | 10.6 | 71 | 7.5 |
| | 30-49 | 326 | 56.7 | 652 | 68.4 |
| | 50+ | 69 | 12.0 | 188 | 19.7 |
| | TOTAL | 575 | 100.0 | 953 | 100.0 |
| Race/Ethnicity | White | 19 | 3.3 | 45 | 4.7 |
| | Black | 301 | 52.3 | 489 | 51.3 |
| | Hispanic | 245 | 42.6 | 413 | 43.3 |
| | Asian/PI | 2 | 0.3 | 3 | 0.3 |
| | Native Am | 1 | 0.2 | 1 | 0.1 |
| | Other/Unk | 7 | 1.2 | 2 | 0.2 |
| | TOTAL | 575 | 100.0 | 953 | 100.0 |
| Risk | MSM | 130 | 22.6 | 137 | 14.4 |
| | IDU | 71 | 12.3 | 180 | 18.9 |
| | MSM/IDU | 9 | 1.6 | 20 | 2.1 |
| | Heterosexual | 109 | 19.0 | 164 | 17.2 |
| | Blood Prod. | 1 | 0.2 | 3 | 0.3 |
| | Pediatric Risk | 6 | 1.0 | 2 | 0.2 |
| | Other/Unk | 249 | 43.3 | 447 | 46.9 |
| | TOTAL | 575 | 100.0 | 953 | 100.0 |

****Cases reported and confirmed through December 2005***

BOROUGH: BROOKLYN**Table 20A*****HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk
Diagnosed through December 2004***

| | | AIDS** | | | | | |
|-----------------------|----------------|-------------|---------|--------|---------|------------|---------|
| | | Living HIV* | | Living | | Cumulative | |
| | | Number | Percent | Number | Percent | Number | Percent |
| Gender | Male | 3,999 | 55.0 | 9,150 | 64.0 | 24,649 | 68.1 |
| | Female | 3,094 | 42.5 | 5,141 | 36.0 | 11,539 | 31.9 |
| | Unk | 182 | 2.5 | 0 | 0.0 | 0 | 0.0 |
| | TOTAL | 7,275 | 100.0 | 14,291 | 100.0 | 36,188 | 100.0 |
| Age Group | 12 & under | 437 | 6.0 | 250 | 1.7 | 708 | 2.0 |
| | 13-19 | 222 | 3.1 | 162 | 1.1 | 235 | 0.6 |
| | 20-24 | 608 | 8.4 | 499 | 3.5 | 1,034 | 2.9 |
| | 25-29 | 897 | 12.3 | 1,360 | 9.5 | 3,565 | 9.9 |
| | 30-49 | 4,271 | 58.7 | 10,053 | 70.3 | 25,561 | 70.6 |
| | 50+ | 837 | 11.5 | 1,967 | 13.8 | 5,085 | 14.1 |
| | Unk | 3 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | TOTAL | 7,275 | 100.0 | 14,291 | 100.0 | 36,188 | 100.0 |
| Race/Ethnicity | White | 958 | 13.2 | 1,608 | 11.3 | 4,895 | 13.5 |
| | Black | 4,407 | 60.6 | 8,861 | 62.0 | 21,748 | 60.1 |
| | Hispanic | 1,535 | 21.1 | 3,647 | 25.5 | 9,281 | 25.6 |
| | Asian/PI | 75 | 1.0 | 112 | 0.8 | 187 | 0.5 |
| | Native Am | 8 | 0.1 | 7 | 0.0 | 10 | 0.0 |
| | Multi Race | 4 | 0.1 | 2 | 0.0 | 5 | 0.0 |
| | Other/Unk | 288 | 4.0 | 54 | 0.4 | 62 | 0.2 |
| | TOTAL | 7,275 | 100.0 | 14,291 | 100.0 | 36,188 | 100.0 |
| Risk | MSM | 1,464 | 20.1 | 2,562 | 17.9 | 6,817 | 18.8 |
| | IDU | 829 | 11.4 | 3,897 | 27.3 | 14,704 | 40.6 |
| | MSM/IDU | 76 | 1.0 | 245 | 1.7 | 792 | 2.2 |
| | Heterosexual | 1,333 | 18.3 | 2,515 | 17.6 | 4,717 | 13.0 |
| | Blood Prod. | 22 | 0.3 | 95 | 0.7 | 279 | 0.8 |
| | Pediatric Risk | 354 | 4.9 | 255 | 1.8 | 707 | 2.0 |
| | Other/Unk | 3,197 | 43.9 | 4,722 | 33.0 | 8,172 | 22.6 |
| | TOTAL | 7,275 | 100.0 | 14,291 | 100.0 | 36,188 | 100.0 |

****All cases reported and confirmed from June 2000 - December 2005***

*****All cases reported and confirmed from 1983 - December 2005***

BOROUGH: BROOKLYN**Table 20B**

***Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2004 - December 2004***

| | | Initial HIV | | Initial AIDS | |
|-----------------------|----------------|-------------|---------|--------------|---------|
| | | Number | Percent | Number | Percent |
| Gender | Male | 390 | 61.7 | 669 | 62.5 |
| | Female | 242 | 38.3 | 402 | 37.5 |
| | TOTAL | 632 | 100.0 | 1,071 | 100.0 |
| Age Group | 12 & under | 5 | 0.8 | 5 | 0.5 |
| | 13-19 | 26 | 4.1 | 11 | 1.0 |
| | 20-24 | 83 | 13.1 | 40 | 3.7 |
| | 25-29 | 80 | 12.7 | 85 | 7.9 |
| | 30-49 | 355 | 56.2 | 693 | 64.7 |
| | 50+ | 83 | 13.1 | 237 | 22.1 |
| | TOTAL | 632 | 100.0 | 1,071 | 100.0 |
| Race/Ethnicity | White | 59 | 9.3 | 98 | 9.2 |
| | Black | 447 | 70.7 | 726 | 67.8 |
| | Hispanic | 109 | 17.2 | 237 | 22.1 |
| | Asian/PI | 13 | 2.1 | 6 | 0.6 |
| | Native Am | 3 | 0.5 | 0 | 0.0 |
| | Other/Unk | 1 | 0.2 | 4 | 0.4 |
| | TOTAL | 632 | 100.0 | 1,071 | 100.0 |
| Risk | MSM | 195 | 30.9 | 228 | 21.3 |
| | IDU | 51 | 8.1 | 158 | 14.8 |
| | MSM/IDU | 8 | 1.3 | 20 | 1.9 |
| | Heterosexual | 106 | 16.8 | 213 | 19.9 |
| | Blood Prod. | 2 | 0.3 | 6 | 0.6 |
| | Pediatric Risk | 2 | 0.3 | 6 | 0.6 |
| | Other/Unk | 268 | 42.4 | 440 | 41.1 |
| | TOTAL | 632 | 100.0 | 1,071 | 100.0 |

****Cases reported and confirmed through December 2005***

BOROUGH: MANHATTAN**Table 21A*****HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk
Diagnosed through December 2004***

| | | AIDS** | | | | | |
|-----------------------|----------------|-------------|---------|--------|---------|------------|---------|
| | | Living HIV* | | Living | | Cumulative | |
| | | Number | Percent | Number | Percent | Number | Percent |
| Gender | Male | 7,951 | 78.7 | 14,050 | 79.8 | 39,495 | 82.6 |
| | Female | 2,115 | 20.9 | 3,556 | 20.2 | 8,310 | 17.4 |
| | Unk | 33 | 0.3 | 0 | 0.0 | 0 | 0.0 |
| | TOTAL | 10,099 | 100.0 | 17,606 | 100.0 | 47,805 | 100.0 |
| Age Group | 12 & under | 334 | 3.3 | 143 | 0.8 | 403 | 0.8 |
| | 13-19 | 163 | 1.6 | 90 | 0.5 | 128 | 0.3 |
| | 20-24 | 632 | 6.3 | 401 | 2.3 | 850 | 1.8 |
| | 25-29 | 1,195 | 11.8 | 1,590 | 9.0 | 4,162 | 8.7 |
| | 30-49 | 6,600 | 65.4 | 12,809 | 72.8 | 34,603 | 72.4 |
| | 50+ | 1,172 | 11.6 | 2,573 | 14.6 | 7,659 | 16.0 |
| | Unk | 3 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | TOTAL | 10,099 | 100.0 | 17,606 | 100.0 | 47,805 | 100.0 |
| Race/Ethnicity | White | 3,885 | 38.5 | 6,045 | 34.3 | 17,784 | 37.2 |
| | Black | 3,195 | 31.6 | 6,392 | 36.3 | 16,940 | 35.4 |
| | Hispanic | 2,461 | 24.4 | 4,808 | 27.3 | 12,464 | 26.1 |
| | Asian/PI | 154 | 1.5 | 213 | 1.2 | 440 | 0.9 |
| | Native Am | 14 | 0.1 | 8 | 0.0 | 20 | 0.0 |
| | Multi Race | 3 | 0.0 | 9 | 0.1 | 12 | 0.0 |
| | Other/Unk | 387 | 3.8 | 131 | 0.7 | 145 | 0.3 |
| | TOTAL | 10,099 | 100.0 | 17,606 | 100.0 | 47,805 | 100.0 |
| Risk | MSM | 4,653 | 46.1 | 7,380 | 41.9 | 21,955 | 45.9 |
| | IDU | 777 | 7.7 | 4,113 | 23.4 | 14,844 | 31.1 |
| | MSM/IDU | 130 | 1.3 | 391 | 2.2 | 1,499 | 3.1 |
| | Heterosexual | 967 | 9.6 | 1,673 | 9.5 | 3,152 | 6.6 |
| | Blood Prod. | 29 | 0.3 | 59 | 0.3 | 210 | 0.4 |
| | Pediatric Risk | 277 | 2.7 | 156 | 0.9 | 412 | 0.9 |
| | Other/Unk | 3,266 | 32.3 | 3,834 | 21.8 | 5,733 | 12.0 |
| | TOTAL | 10,099 | 100.0 | 17,606 | 100.0 | 47,805 | 100.0 |

****All cases reported and confirmed from June 2000 - December 2005********All cases reported and confirmed from 1983 - December 2005***

BOROUGH: MANHATTAN**Table 21B*****Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2004 - December 2004***

| | | Initial HIV | | Initial AIDS | |
|-----------------------|----------------|-------------|---------|--------------|---------|
| | | Number | Percent | Number | Percent |
| Gender | Male | 555 | 77.9 | 900 | 74.8 |
| | Female | 157 | 22.1 | 303 | 25.2 |
| | TOTAL | 712 | 100.0 | 1,203 | 100.0 |
| Age Group | 12 & under | 2 | 0.3 | 1 | 0.1 |
| | 13-19 | 16 | 2.2 | 9 | 0.7 |
| | 20-24 | 65 | 9.1 | 36 | 3.0 |
| | 25-29 | 106 | 14.9 | 66 | 5.5 |
| | 30-49 | 432 | 60.7 | 787 | 65.4 |
| | 50+ | 91 | 12.8 | 304 | 25.3 |
| | TOTAL | 712 | 100.0 | 1,203 | 100.0 |
| Race/Ethnicity | White | 224 | 31.5 | 342 | 28.4 |
| | Black | 290 | 40.7 | 497 | 41.3 |
| | Hispanic | 182 | 25.6 | 339 | 28.2 |
| | Asian/PI | 11 | 1.5 | 19 | 1.6 |
| | Native Am | 1 | 0.1 | 0 | 0.0 |
| | Multi Race | 0 | 0.0 | 1 | 0.1 |
| | Other/Unk | 4 | 0.6 | 5 | 0.4 |
| | TOTAL | 712 | 100.0 | 1,203 | 100.0 |
| Risk | MSM | 412 | 57.9 | 457 | 38.0 |
| | IDU | 53 | 7.4 | 172 | 14.3 |
| | MSM/IDU | 6 | 0.8 | 26 | 2.2 |
| | Heterosexual | 68 | 9.6 | 161 | 13.4 |
| | Blood Prod. | 1 | 0.1 | 3 | 0.2 |
| | Pediatric Risk | 1 | 0.1 | 1 | 0.1 |
| | Other/Unk | 171 | 24.0 | 383 | 31.8 |
| | TOTAL | 712 | 100.0 | 1,203 | 100.0 |

****Cases reported and confirmed through December 2005***

BOROUGH: QUEENS**Table 22A*****HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk
Diagnosed through December 2004***

| | | AIDS** | | | | | |
|-----------------------|----------------|-------------|---------|--------|---------|------------|---------|
| | | Living HIV* | | Living | | Cumulative | |
| | | Number | Percent | Number | Percent | Number | Percent |
| Gender | Male | 2,332 | 64.2 | 5,862 | 70.9 | 14,196 | 74.8 |
| | Female | 1,302 | 35.8 | 2,402 | 29.1 | 4,779 | 25.2 |
| | Unk | 1 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| | TOTAL | 3,635 | 100.0 | 8,264 | 100.0 | 18,975 | 100.0 |
| Age Group | 12 & under | 161 | 4.4 | 101 | 1.2 | 278 | 1.5 |
| | 13-19 | 85 | 2.3 | 77 | 0.9 | 103 | 0.5 |
| | 20-24 | 282 | 7.8 | 287 | 3.5 | 521 | 2.7 |
| | 25-29 | 490 | 13.5 | 889 | 10.8 | 1,874 | 9.9 |
| | 30-49 | 2,279 | 62.7 | 5,921 | 71.6 | 13,817 | 72.8 |
| | 50+ | 335 | 9.2 | 989 | 12.0 | 2,382 | 12.6 |
| | Unk | 3 | 0.1 | 0 | 0.0 | 0 | 0.0 |
| | TOTAL | 3,635 | 100.0 | 8,264 | 100.0 | 18,975 | 100.0 |
| Race/Ethnicity | White | 754 | 20.7 | 1,581 | 19.1 | 4,617 | 24.3 |
| | Black | 1,545 | 42.5 | 3,537 | 42.8 | 8,235 | 43.4 |
| | Hispanic | 1,150 | 31.6 | 2,871 | 34.7 | 5,689 | 30.0 |
| | Asian/PI | 100 | 2.8 | 223 | 2.7 | 366 | 1.9 |
| | Native Am | 3 | 0.1 | 11 | 0.1 | 16 | 0.1 |
| | Multi Race | 5 | 0.1 | 7 | 0.1 | 10 | 0.1 |
| | Other/Unk | 78 | 2.1 | 34 | 0.4 | 42 | 0.2 |
| | TOTAL | 3,635 | 100.0 | 8,264 | 100.0 | 18,975 | 100.0 |
| Risk | MSM | 1,116 | 30.7 | 2,204 | 26.7 | 5,252 | 27.7 |
| | IDU | 311 | 8.6 | 2,104 | 25.5 | 6,871 | 36.2 |
| | MSM/IDU | 25 | 0.7 | 133 | 1.6 | 461 | 2.4 |
| | Heterosexual | 786 | 21.6 | 1,412 | 17.1 | 2,312 | 12.2 |
| | Blood Prod. | 18 | 0.5 | 62 | 0.8 | 186 | 1.0 |
| | Pediatric Risk | 132 | 3.6 | 124 | 1.5 | 296 | 1.6 |
| | Other/Unk | 1,247 | 34.3 | 2,225 | 26.9 | 3,597 | 19.0 |
| | TOTAL | 3,635 | 100.0 | 8,264 | 100.0 | 18,975 | 100.0 |

****All cases reported and confirmed from June 2000 - December 2005********All cases reported and confirmed from 1983 - December 2005***

BOROUGH: QUEENS**Table 22B**

***Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2004 - December 2004***

| | | Initial HIV | | Initial AIDS | |
|-----------------------|----------------|-------------|---------|--------------|---------|
| | | Number | Percent | Number | Percent |
| Gender | Male | 213 | 67.4 | 410 | 71.3 |
| | Female | 103 | 32.6 | 165 | 28.7 |
| | TOTAL | 316 | 100.0 | 575 | 100.0 |
| Age Group | 12 & under | 4 | 1.3 | 0 | 0.0 |
| | 13-19 | 14 | 4.4 | 7 | 1.2 |
| | 20-24 | 29 | 9.2 | 30 | 5.2 |
| | 25-29 | 48 | 15.2 | 53 | 9.2 |
| | 30-49 | 186 | 58.9 | 379 | 65.9 |
| | 50+ | 35 | 11.1 | 106 | 18.4 |
| | TOTAL | 316 | 100.0 | 575 | 100.0 |
| Race/Ethnicity | White | 42 | 13.3 | 85 | 14.8 |
| | Black | 140 | 44.3 | 254 | 44.2 |
| | Hispanic | 106 | 33.5 | 196 | 34.1 |
| | Asian/PI | 19 | 6.0 | 35 | 6.1 |
| | Native Am | 1 | 0.3 | 0 | 0.0 |
| | Multi Race | 3 | 0.9 | 1 | 0.2 |
| | Other/Unk | 5 | 1.6 | 4 | 0.7 |
| | TOTAL | 316 | 100.0 | 575 | 100.0 |
| Risk | MSM | 125 | 39.6 | 168 | 29.2 |
| | IDU | 16 | 5.1 | 69 | 12.0 |
| | MSM/IDU | 2 | 0.6 | 6 | 1.0 |
| | Heterosexual | 66 | 20.9 | 101 | 17.6 |
| | Blood Prod. | 1 | 0.3 | 5 | 0.9 |
| | Pediatric Risk | 3 | 0.9 | 0 | 0.0 |
| | Other/Unk | 103 | 32.6 | 226 | 39.3 |
| | TOTAL | 316 | 100.0 | 575 | 100.0 |

****Cases reported and confirmed through December 2005***

BOROUGH: STATEN ISLAND**Table 23A*****HIV/AIDS Cases by Gender, Age, Race/Ethnicity and Risk
Diagnosed through December 2004***

| | | AIDS** | | | | | |
|-----------------------|----------------|-------------|---------|--------|---------|------------|---------|
| | | Living HIV* | | Living | | Cumulative | |
| | | Number | Percent | Number | Percent | Number | Percent |
| Gender | Male | 336 | 57.1 | 663 | 65.3 | 1,983 | 71.5 |
| | Female | 251 | 42.7 | 352 | 34.7 | 789 | 28.5 |
| | Unk | 1 | 0.2 | 0 | 0.0 | 0 | 0.0 |
| | TOTAL | 588 | 100.0 | 1,015 | 100.0 | 2,772 | 100.0 |
| Age Group | 12 & under | 32 | 5.4 | 15 | 1.5 | 42 | 1.5 |
| | 13-19 | 14 | 2.4 | 11 | 1.1 | 15 | 0.5 |
| | 20-24 | 41 | 7.0 | 29 | 2.9 | 67 | 2.4 |
| | 25-29 | 51 | 8.7 | 82 | 8.1 | 216 | 7.8 |
| | 30-49 | 390 | 66.3 | 760 | 74.9 | 2,097 | 75.6 |
| | 50+ | 60 | 10.2 | 118 | 11.6 | 335 | 12.1 |
| | TOTAL | 588 | 100.0 | 1,015 | 100.0 | 2,772 | 100.0 |
| Race/Ethnicity | White | 185 | 31.5 | 379 | 37.3 | 1,259 | 45.4 |
| | Black | 242 | 41.2 | 389 | 38.3 | 937 | 33.8 |
| | Hispanic | 138 | 23.5 | 231 | 22.8 | 549 | 19.8 |
| | Asian/PI | 8 | 1.4 | 4 | 0.4 | 11 | 0.4 |
| | Native Am | 1 | 0.2 | 3 | 0.3 | 4 | 0.1 |
| | Multi Race | 0 | 0.0 | 3 | 0.3 | 4 | 0.1 |
| | Other/Unk | 14 | 2.4 | 6 | 0.6 | 8 | 0.3 |
| | TOTAL | 588 | 100.0 | 1,015 | 100.0 | 2,772 | 100.0 |
| Risk | MSM | 106 | 18.0 | 150 | 14.8 | 513 | 18.5 |
| | IDU | 73 | 12.4 | 345 | 34.0 | 1,317 | 47.5 |
| | MSM/IDU | 5 | 0.9 | 17 | 1.7 | 62 | 2.2 |
| | Heterosexual | 93 | 15.8 | 184 | 18.1 | 340 | 12.3 |
| | Blood Prod. | 5 | 0.9 | 12 | 1.2 | 46 | 1.7 |
| | Pediatric Risk | 17 | 2.9 | 16 | 1.6 | 43 | 1.6 |
| | Other/Unk | 289 | 49.1 | 291 | 28.7 | 451 | 16.3 |
| | TOTAL | 588 | 100.0 | 1,015 | 100.0 | 2,772 | 100.0 |

****All cases reported and confirmed from June 2000 - December 2005***

*****All cases reported and confirmed from 1983 - December 2005***

BOROUGH: STATEN ISLAND**Table 23B**

***Newly Diagnosed HIV/AIDS Cases* by Gender, Age, Race/Ethnicity and Risk
Diagnosed January 2004 - December 2004***

| | | Initial HIV | | Initial AIDS | |
|-----------------------|----------------|-------------|---------|--------------|---------|
| | | Number | Percent | Number | Percent |
| Gender | Male | 26 | 63.4 | 41 | 64.1 |
| | Female | 15 | 36.6 | 23 | 35.9 |
| | TOTAL | 41 | 100.0 | 64 | 100.0 |
| Age Group | 12 & under | 1 | 2.4 | 0 | 0.0 |
| | 13-19 | 0 | 0.0 | 1 | 1.6 |
| | 20-24 | 3 | 7.3 | 4 | 6.3 |
| | 25-29 | 2 | 4.9 | 4 | 6.3 |
| | 30-49 | 31 | 75.6 | 40 | 62.5 |
| | 50+ | 4 | 9.8 | 15 | 23.4 |
| | TOTAL | 41 | 100.0 | 64 | 100.0 |
| Race/Ethnicity | White | 6 | 14.6 | 18 | 28.1 |
| | Black | 25 | 61.0 | 30 | 46.9 |
| | Hispanic | 9 | 22.0 | 14 | 21.9 |
| | Asian/PI | 0 | 0.0 | 1 | 1.6 |
| | Native Am | 1 | 2.4 | 1 | 1.6 |
| | TOTAL | 41 | 100.0 | 64 | 100.0 |
| Risk | MSM | 9 | 22.0 | 11 | 17.2 |
| | IDU | 5 | 12.2 | 13 | 20.3 |
| | Heterosexual | 10 | 24.4 | 12 | 18.8 |
| | Blood Prod. | 1 | 2.4 | 2 | 3.1 |
| | Pediatric Risk | 1 | 2.4 | 0 | 0.0 |
| | Other/Unk | 15 | 36.6 | 26 | 40.6 |
| | TOTAL | 41 | 100.0 | 64 | 100.0 |

****Cases reported and confirmed through December 2005***